






SWITCH TO A BETTER WORLD

THE
WORLD in a
NEW **LIGHT**



Products and
Pricing Manual 2019



THROWING LIGHT ON OUR LED SERIES

Look through the enlightening experiences offered to you over the years by our inventive LEDs.

G-luxLED
G1 LED DOWN LIGHT

2015



2015

G2020
LED PANEL LIGHT

GZERO
SLIM LED PANEL LIGHT

2016





2017

XZORO
SURFACE LIGHT

YOLO
SLIM PANEL LIGHT

2017



2018

GOCO
SLIM PANEL LIGHT

G·LO
LED PANEL LIGHT

2018





2019



LED TRACK LIGHT

Dita

LED DOWN LIGHT

2019



2019

LATO

LED DOWN LIGHT

 SM LED



LIGHT IS A RELIABLE companion

Light and life go hand in hand. Presence of all living things is inconceivable, without the presence of light. It signifies the virtue of hope and inspires positivity. Therefore, light being our trusted companion, we have tried to convey a life full of possibilities and conveniences to the world.

GM LED

| | |
|---|----|
| ▪ G-LUX Series..... | 01 |
| ▪ G-TWIST OTIS G-YO Down Light..... | 05 |
| ▪ HELI COB Spot Light DOT Down Light TISSO TOYO Deep Down Light SITO Down Light..... | 06 |
| ▪ GATO Down Light RANGOLI Dual Light RANGOLI PLUS Dual Light..... | 07 |
| ▪ G2020 Panel + Surface Light..... | 08 |
| ▪ GOCO Panel Light..... | 10 |
| ▪ G-ZERO Slim Panel Light..... | 11 |
| ▪ OCHO Panel + Surface Light..... | 13 |
| ▪ PLANO Panel + Surface Light..... | 15 |
| ▪ ESPANO Slim Panel Light..... | 19 |
| ▪ YOLO Slim Panel Light..... | 20 |
| ▪ G-LO Trimless Down Light..... | 21 |
| ▪ XZORO Surface Light PHANTOM Down Light..... | 22 |
| ▪ CRUZE Down Light..... | 23 |
| ▪ LUMINO Down Light..... | 24 |
| ▪ TABLA Down Light..... | 25 |
| ▪ FIESTA COB Spot Light..... | 26 |
| ▪ TROY COB Down Light..... | 27 |
| ▪ CROY COB Down Light G90 COB Spot Light..... | 28 |
| ▪ AXUS COB Spot Light COSMO Down Light STALO Down Light..... | 29 |
| ▪ ORBIS COB Down Light ZOOM COB Trunk Spot Light..... | 30 |
| ▪ ARA LED Ceiling Down Light DOME Wall Light CHAPPIE Ceiling Down Light..... | 31 |
| ▪ GM-FL Foot Light BLK-01 BLK-02 Bulkhead Light..... | 32 |
| ▪ GM-WL-01 Wall Light GM-GL-01 Garden Light..... | 33 |
| ▪ CENTILO EXORA ORIUS Tube Light..... | 34 |
| ▪ LUCIA NEBULUS CIELO Tube Light..... | 35 |
| ▪ ATMOS ASTRO LUXON SENSE SENSEON Tube Light DUOS LED Wall Light STRATO AURA Tube Light..... | 36 |
| ▪ CHANDELIER Light EVO Bulb..... | 37 |
| ▪ EVO CANDLE LAMP GLO BALLET Bulb..... | 39 |
| ▪ GLITZ Smart Bluetooth Bulb INSTA LED Lamp EVO Rocket Lamp EVO UFO Highbay Light..... | 40 |
| ▪ RADION ZODION Strip Light..... | 41 |
| ▪ PRODION ODION KODION Strip Light..... | 42 |
| ▪ LED DRIVER..... | 43 |
| ▪ FANON XERON Neon Light RAYON NIYON Rope Light..... | 44 |
| ▪ STREET Light..... | 45 |
| ▪ FLOOD Light..... | 46 |
| ▪ SKY LAMP SKY BRIGHT Flat Panels SKY SQUARE Frame Panel Light..... | 47 |

FAÇADE LIGHTING

| | |
|--|----|
| ▪ GP Facade Flood Light GP Ground Light GP Master Controller GP Slave Controller..... | 48 |
| ▪ GP Focus Light GP Linear Light GP Window Light GP Linear Driver..... | 49 |

ARRO PROFILE LIGHTING

| | |
|-----------------------|----|
| ▪ PROFILE LIGHTS..... | 50 |
|-----------------------|----|

G-HOME LED LIGHTING

| | |
|---|----|
| ▪ FILO - Slim Panel Light Round..... | 53 |
| ▪ FILO - Surface Ring FILO - Surface Panel Light..... | 55 |
| ▪ TOTO Panel Light..... | 56 |
| ▪ TWILITE Dual Panel Light..... | 57 |
| ▪ OMNI Deep Down Light ZETO COB Down Light..... | 58 |
| ▪ ROCO Down Light ARIO COB Down Light..... | 59 |
| ▪ HOLI Duel Down Light CENT Down Light CENTO COB Down Light..... | 60 |
| ▪ FESTO MINI COB Spot Light..... | 61 |
| ▪ FESTO COB Spot Light..... | 62 |
| ▪ STRIKER Surface Down Light..... | 63 |
| ▪ ROXX Surface Down Light Round..... | 64 |
| ▪ FOCUS Wall Light..... | 66 |
| ▪ PATIO Garden Light STEP Light ARCO Wall Light..... | 67 |

LEDpro LUMINAIRES CATALOGUE 2018

| | |
|--|----|
| ▪ G21 - Trimless Down Light..... | 69 |
| ▪ G22 - Mini Spot Light Foot Light Deep Spot Light..... | 70 |
| ▪ G23 - COB Down Light..... | 71 |
| ▪ G23 - Zoom COB Down Light..... | 72 |
| ▪ G24 - Multiple Down Light Down Light..... | 73 |
| ▪ G25 - Surface Down Light..... | 74 |
| ▪ G27 - Modular Down Light..... | 75 |
| ▪ RG27 - R27 G28 Track Light..... | 76 |
| ▪ G28 - Track Light..... | 78 |
| ▪ LATO - G28 - Recessed + Surface Track Light Track Light..... | 79 |
| ▪ LOCO - G28 - Track Light..... | 80 |
| ▪ G29 - COB Surface Mounted..... | 81 |
| ▪ OPTIMUS - G30 - Pendant Light..... | 82 |
| ▪ G33 - COB Down Light Wall Light..... | 83 |
| ▪ G31 - COB Down Light G32 - COB Down Light..... | 84 |
| ▪ DITA - G34 - Recessed Down Light..... | 85 |
| ▪ GRACE - G35 - Recessed Spot Light..... | 86 |



Let your light
lead you

Our adoration for innovation and enthusiasm to serve comfort has driven us to you. With sheer diligence and extraordinary perseverance, we have transformed our fantasies into the real world. By passing on resplendent advancements in the form of switches, LEDs, automation and more, we have made way into a million hearts and homes.



WORLD'S FIRST **MODULAR** LED




UNIQUE DESIGN CONCEPT




G2 LED DOWN LIGHT

G-Lux LED luminaire is the world's first modular LED Down Light. The G-Lux LED lighting solutions help lessen maintenance and reduce the energy use. It has an advanced built-in driver technology for smooth functionality. G-Lux is environment friendly as it saves more than 85% of energy.



Features

- Advanced design prolongs lifespan.
- Replaceable lamp core, easy maintenance.
- Simple installation saves labour cost.
- Easy to change colour temperature by changing light core.



G-luxLED
DETACHABLE LED

G-LUX



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| G-LUX G1 LED - 4.5 Watt Non Dimmable with Substitutable Head+Driver | | | | | | | | | |
| G1-4.5-3K-N | 4.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 85 | 60 | 1010.00 | 50 |
| G1-4.5-4K-N | 4.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 85 | 60 | 1010.00 | 50 |
| G1-4.5-6K-N | 4.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 85 | 60 | 1010.00 | 50 |

| | | | | | | | | | |
|--|-----|-------|-------|---------|---------|----|----|---------|----|
| G-LUX G1 LED - 4.5 Watt Dimmable with Substitutable Head+Driver | | | | | | | | | |
| G1-4.5-3K-D | 4.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 85 | 60 | 1180.00 | 50 |
| G1-4.5-6K-D | 4.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 85 | 60 | 1180.00 | 50 |



| | | | | | | | | | |
|--|-----|-------|------|---------|---------|----|----|---------|----|
| G-LUX G2 LED - 6.5 Watt Non Dimmable with Substitutable Head+Driver | | | | | | | | | |
| G2-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |
| G2-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |
| G2-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1130.00 | 50 |

| | | | | | | | | | |
|--|-----|-------|-------|---------|---------|----|----|---------|----|
| G-LUX G2 LED - 5.5 Watt Dimmable with Substitutable Head+Driver | | | | | | | | | |
| G2-5.5-3K-D | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |
| G2-5.5-4K-D | 5.5 | 4000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |
| G2-5.5-6K-D | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1320.00 | 50 |



| | | | | | | | | | |
|---|-----|-------|------|---------|---------|----|-----|--------|----|
| G-LUX G3 LED - 6.5 Watt Non Dimmable | | | | | | | | | |
| G3-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |
| G3-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |
| G3-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 100 | 890.00 | 50 |

| | | | | | | | | | |
|---|-----|-------|-------|---------|---------|----|-----|---------|----|
| G-LUX G3 LED - 5.5 Watt Dimmable | | | | | | | | | |
| G3-5.5-3K-D | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |
| G3-5.5-4K-D | 5.5 | 4000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |
| G3-5.5-6K-D | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 100 | 1080.00 | 50 |



| | | | | | | | | | |
|---|-----|-------|------|---------|---------|----|----|--------|----|
| G-LUX G5 LED - 4.5 Watt Non Dimmable | | | | | | | | | |
| G5-4.5-3K-N | 4.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |
| G5-4.5-4K-N | 4.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |
| G5-4.5-6K-N | 4.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 83 | 60 | 860.00 | 50 |

| | | | | | | | | | |
|---|-----|-------|-------|---------|---------|----|----|---------|----|
| G-LUX G5 LED - 4.5 Watt Dimmable | | | | | | | | | |
| G5-4.5-3K-D | 4.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 60 | 1060.00 | 50 |
| G5-4.5-6K-D | 4.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 83 | 60 | 1060.00 | 50 |

All dimensions in mm

G-LUX

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

| G-LUX G6 LED - 6.5 Watt Non Dimmable | | | | | | | | | |
|--------------------------------------|-----|-------|------|---------|---------|----|----|---------|----|
| G6-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1080.00 | 50 |
| G6-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1080.00 | 50 |
| G6-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 75 | 75 - 80 | 80 | 38 | 1080.00 | 50 |

| G-LUX G6 LED - 5.5 Watt Dimmable | | | | | | | | | |
|----------------------------------|-----|-------|-------|---------|---------|----|----|---------|----|
| G6-5.5-3K-D | 5.5 | 3000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1250.00 | 50 |
| G6-5.5-6K-D | 5.5 | 6000K | >0.56 | 94 x 75 | 75 - 80 | 80 | 38 | 1250.00 | 50 |

| G-LUX G8 LED - 6.5 Watt Non Dimmable (Element Spotlight) | | | | | | | | | |
|--|-----|-------|------|---------|---------|----|----|--------|----|
| G8-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G8-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G8-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |

| G-LUX G8 LED - 6.5 Watt Dimmable (Element Spotlight) | | | | | | | | | |
|--|-----|-------|-------|---------|---------|----|----|---------|----|
| G8-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |
| G8-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |

| G-LUX G8 LED - 8 Watt Non Dimmable (Element Spotlight) | | | | | | | | | |
|--|---|-------|------|---------|---------|----|----|--------|----|
| G8-8-3K-N | 8 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G8-8-4K-N | 8 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G8-8-6K-N | 8 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |

| G-LUX G8 LED - 8 Watt Dimmable (Element Spotlight) | | | | | | | | | |
|--|---|-------|-------|---------|---------|----|----|---------|----|
| G8-8-3K-D | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1140.00 | 50 |
| G8-8-6K-D | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1140.00 | 50 |

| G-LUX G9 LED - 6.5 Watt Non Dimmable (Wall Washer Spotlight) | | | | | | | | | |
|--|-----|-------|------|---------|---------|----|----|--------|----|
| G9-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G9-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |
| G9-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 860.00 | 50 |

| G-LUX G9 LED - 6.5 Watt Dimmable (Wall Washer Spotlight) | | | | | | | | | |
|--|-----|-------|-------|---------|---------|----|----|---------|----|
| G9-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |
| G9-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1030.00 | 50 |



All dimensions in mm





G-LUX

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| G-LUX G9 LED - 8 Watt Non Dimmable (Wall Washer Spotlight) | | | | | | | | | |
| G9-8-3K-N | 8 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G9-8-4K-N | 8 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |
| G9-8-6K-N | 8 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 83 | 38 | 960.00 | 50 |

G-LUX G9 LED - 8 Watt Dimmable (Wall Washer Spotlight)

| | | | | | | | | | |
|-----------|---|-------|-------|---------|---------|----|----|---------|----|
| G9-8-3K-D | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1150.00 | 50 |
| G9-8-6K-D | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 83 | 38 | 1150.00 | 50 |

G-LUX Q3X LED - 6.5 Watt Non Dimmable

| | | | | | | | | | |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q3X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |
| Q3X-6.5-4K-N | 6.5 | 4000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |
| Q3X-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 31 | 75 - 80 | 80 | 38 | 900.00 | 50 |

G-LUX Q3X LED - 6.5 Watt Dimmable

| | | | | | | | | | |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q3X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 31 | 75 - 80 | 80 | 38 | 1110.00 | 50 |
| Q3X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 31 | 75 - 80 | 80 | 38 | 1110.00 | 50 |

G-LUX Q4X LED - 6.5 Watt Non Dimmable

| | | | | | | | | | |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q4X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 930.00 | 50 |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|

G-LUX Q4X LED - 6.5 Watt Dimmable

| | | | | | | | | | |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q4X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1100.00 | 50 |
| Q4X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1100.00 | 50 |

G-LUX Q4X LED - 8 Watt Non Dimmable

| | | | | | | | | | |
|------------|---|-------|------|---------|---------|----|----|---------|----|
| Q4X-8-3K-N | 8 | 3000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |
| Q4X-8-4K-N | 8 | 4000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |
| Q4X-8-6K-N | 8 | 6000K | >0.9 | 94 x 49 | 75 - 80 | 81 | 38 | 1000.00 | 50 |

G-LUX Q4X LED - 8 Watt Dimmable

| | | | | | | | | | |
|------------|---|-------|-------|---------|---------|----|----|---------|----|
| Q4X-8-3K-D | 8 | 3000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1170.00 | 50 |
| Q4X-8-6K-D | 8 | 6000K | >0.56 | 94 x 49 | 75 - 80 | 81 | 38 | 1170.00 | 50 |



G-LUX

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

G-LUX Q5X LED - 6.5 Watt Non Dimmable

| | | | | | | | | | |
|--------------|-----|-------|------|---------|---------|----|----|--------|----|
| Q5X-6.5-3K-N | 6.5 | 3000K | >0.9 | 94 x 31 | 75 - 80 | 81 | 38 | 930.00 | 50 |
| Q5X-6.5-6K-N | 6.5 | 6000K | >0.9 | 94 x 31 | 75 - 80 | 81 | 38 | 930.00 | 50 |



G-LUX Q5X LED - 6.5 Watt Dimmable

| | | | | | | | | | |
|--------------|-----|-------|-------|---------|---------|----|----|---------|----|
| Q5X-6.5-3K-D | 6.5 | 3000K | >0.56 | 94 x 31 | 75 - 80 | 81 | 38 | 1100.00 | 50 |
| Q5X-6.5-6K-D | 6.5 | 6000K | >0.56 | 94 x 31 | 75 - 80 | 81 | 38 | 1100.00 | 50 |

G-LUX Q3.5C LED - 5 Watt Non Dimmable with Substitutable Head + Driver

| | | | | | | | | | |
|--------------|---|-------|-------|---------|--------|----|----|---------|----|
| Q3.5C-5-3K-N | 5 | 3000K | >0.56 | 99 x 74 | 80- 85 | 81 | 90 | 1030.00 | 50 |
| Q3.5C-5-6K-N | 5 | 6000K | >0.56 | 99 x 74 | 80- 85 | 81 | 90 | 1030.00 | 50 |



G-LUX Q6X LED - 12 Watt Non Dimmable

| | | | | | | | | | |
|-------------|----|-------|------|----------|--------|----|----|---------|----|
| Q6X-12-3K-N | 12 | 3000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |
| Q6X-12-4K-N | 12 | 4000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |
| Q6X-12-6K-N | 12 | 6000K | >0.9 | 122 x 60 | 90-100 | 83 | 38 | 1300.00 | 50 |

G-LUX Q8X LED - 8 Watt Non Dimmable

| | | | | | | | | | |
|------------|---|-------|------|---------|---------|----|----|---------|----|
| Q8X-8-3K-N | 8 | 3000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |
| Q8X-8-4K-N | 8 | 4000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |
| Q8X-8-6K-N | 8 | 6000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 38 | 1070.00 | 50 |



G-LUX Q9X LED - 12 Watt Non Dimmable

| | | | | | | | | | |
|-------------|----|-------|------|----------|--------|----|-----|---------|----|
| Q9X-12-3K-N | 12 | 3000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |
| Q9X-12-4K-N | 12 | 4000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |
| Q9X-12-6K-N | 12 | 6000K | >0.9 | 122 x 60 | 90-100 | 83 | 100 | 1220.00 | 50 |



G-LUX Q10X LED - 8 Watt Non Dimmable

| | | | | | | | | | |
|-------------|---|-------|------|---------|---------|----|-----|---------|----|
| Q10X-8-3K-N | 8 | 3000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |
| Q10X-8-4K-N | 8 | 4000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |
| Q10X-8-6K-N | 8 | 6000K | >0.9 | 95 x 51 | 75 - 80 | 83 | 100 | 1010.00 | 50 |

All dimensions in mm





GYO-01

Dimension



110mm

47.5mm

Cutting Diameter



ø75mm

GYO-02

Dimension



110mm

49mm

Cutting Diameter



ø85mm

The Led Downlights beat fluorescent lights and incandescent light devouring more energy, with added advantages.

GYO-01


GYO-02

LED DOWN LIGHT

WITH FULL
DIFFUSER



Push &
Lock



GYO-03

Dimension



108mm

60mm

Cutting Diameter




ø85mm


GYO Led downlight module avoids the need to do numerous adjustments with the current installations.

GYO-03
LED DOWN LIGHT

WITH SILVER
REFLECTOR



Push &
Lock



GYO-04

Dimension



108mm

Cutting Diameter



ø85mm

GYO-05

Dimension



110mm

Cutting Diameter



ø75mm

Unlike the incandescent lights that expend more energy, the Led downlights offer numerous advantages and are highly energy efficient.

GYO-04

GYO-05

LED DOWN LIGHT

G-TWIST

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--------------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| G-TWIST - 5 Watt Non Dimmable | | | | | | | | | |
| G10-5-3K-N | 5 | 3000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-4K-N | 5 | 4000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-6K-N | 5 | 6000K | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-RED-N | 5 | RED | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-GREEN-N | 5 | GREEN | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-BLUE-N | 5 | BLUE | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |
| G10-5-PINK-N | 5 | PINK | >0.56 | 110 x 59 | 85 | 83 | 100 | 410.00 | 50 |



OTIS

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| OTIS - 7 Watt Non Dimmable | | | | | | | | | |
| G11-7-3K-N | 7 | 3000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-4K-N | 7 | 4000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-6K-N | 7 | 6000K | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-RED-N | 7 | RED | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-GREEN-N | 7 | GREEN | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-BLUE-N | 7 | BLUE | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-PINK-N | 7 | PINK | >0.50 | 110 x 50 | 75 | 83 | 120 | 380.00 | 60 |
| G11-7-3in1-N | 7 | 3in1 | >0.50 | 110 x 50 | 75 | 83 | 120 | 450.00 | 60 |



G-YO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|------------|-----------|-----|-------|--------|------|
| G-YO-1 - 5 Watt Down Light | | | | | | | | | |
| GYO-5-3K-1 | 5 | 3000K | >0.56 | 110 x 47.5 | 75 | 83 | 120 | 380.00 | 50 |
| GYO-5-4K-1 | 5 | 4000K | >0.56 | 110 x 47.5 | 75 | 83 | 120 | 380.00 | 50 |
| GYO-5-6K-1 | 5 | 6000K | >0.56 | 110 x 47.5 | 75 | 83 | 120 | 380.00 | 50 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| G-YO-2 - 7 Watt Down Light | | | | | | | | | |
| GYO-7-3K-2 | 7 | 3000K | >0.56 | 110 x 49 | 85 | 83 | 120 | 450.00 | 50 |
| GYO-7-4K-2 | 7 | 4000K | >0.56 | 110 x 49 | 85 | 83 | 120 | 450.00 | 50 |
| GYO-7-6K-2 | 7 | 6000K | >0.56 | 110 x 49 | 85 | 83 | 120 | 450.00 | 50 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| G-YO-3 - 7 Watt Down Light | | | | | | | | | |
| GYO-7-3K-3 | 7 | 3000K | >0.56 | 108 x 60 | 85 | 83 | 120 | 490.00 | 50 |
| GYO-7-4K-3 | 7 | 4000K | >0.56 | 108 x 60 | 85 | 83 | 120 | 490.00 | 50 |
| GYO-7-6K-3 | 7 | 6000K | >0.56 | 108 x 60 | 85 | 83 | 120 | 490.00 | 50 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| G-YO-4 - 7 Watt Down Light | | | | | | | | | |
| GYO-7-3K-4 | 7 | 3000K | >0.56 | 108 x 60 | 85 | 83 | 90 | 490.00 | 50 |
| GYO-7-4K-4 | 7 | 4000K | >0.56 | 108 x 60 | 85 | 83 | 90 | 490.00 | 50 |
| GYO-7-6K-4 | 7 | 6000K | >0.56 | 108 x 60 | 85 | 83 | 90 | 490.00 | 50 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|-----------|-----------|-----|-------|--------|------|
| G-YO-5 - 7 Watt Down Light | | | | | | | | | |
| GYO-7-3K-5 | 7 | 3000K | >0.56 | 110 x 52 | 75 | 83 | 90 | 450.00 | 50 |
| GYO-7-4K-5 | 7 | 4000K | >0.56 | 110 x 52 | 75 | 83 | 90 | 450.00 | 50 |
| GYO-7-6K-5 | 7 | 6000K | >0.56 | 110 x 52 | 75 | 83 | 90 | 450.00 | 50 |



All dimensions in mm



HELI

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| HELI - 2 Watt COB Spot Light | | | | | | | | | |
| GM 0419 | 2 | 3000K | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0418 | 2 | 4000K | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0417 | 2 | 6000K | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0420 | 2 | RED | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0421 | 2 | GREEN | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |
| GM 0422 | 2 | BLUE | >0.5 | 40 X 40 | 34 | 80 | 38 | 190.00 | 200 |



DOT

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| DOT - 3 Watt Down Light - Round | | | | | | | | | |
| DOT-3-3K | 3 | 3000K | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-4K | 3 | 4000K | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-6K | 3 | 6500K | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-P | 3 | PINK | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-G | 3 | GREEN | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |
| DOT-3-B | 3 | BLUE | >0.9 | 80 x 40 | 45 | 80 | 100 | 195.00 | 100 |



TOYO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| TOYO - 3 Watt Deep Down Light | | | | | | | | | |
| GM 0595 | 3 | 3000K | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |
| GM 0594 | 3 | 4000K | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |
| GM 0593 | 3 | 6500K | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |
| GM 0596 | 3 | PINK | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |
| GM 0597 | 3 | GREEN | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |
| GM 0598 | 3 | BLUE | >0.9 | 81 X 48 | 45 | 80 | 120 | 195.00 | 100 |



TISSO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---------------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| TISSO - 6 Watt Deep Down Light | | | | | | | | | |
| GM 0511 | 6 | 3000K | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0510 | 6 | 4000K | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0509 | 6 | 6500K | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0512 | 6 | PINK | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0513 | 6 | GREEN | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |
| GM 0514 | 6 | BLUE | >0.9 | 84 X 67 | 45 | 80 | 120 | 310.00 | 50 |



SITO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| SITO - 7 Watt Down Light - Round | | | | | | | | | |
| G12-7-3K-N | 7 | 3000K | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |
| G12-7-4K-N | 7 | 4000K | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |
| G12-7-6.5K-N | 7 | 6500K | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |
| G12-7-R-N | 7 | RED | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |
| G12-7-G-N | 7 | GREEN | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |
| G12-7-B-N | 7 | BLUE | >0.5 | 110 X 38 | 75 | 80 | 120 | 400.00 | 60 |

GATO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---------------------------------|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| GATO - 7 Watt Down Light | | | | | | | | | |
| G13-7-3K-N | 7 | 3000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-4K-N | 7 | 4000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-6K-N | 7 | 6000K | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-P-N | 7 | PINK | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-G-N | 7 | GREEN | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |
| G13-7-B-N | 7 | BLUE | >0.5 | 105 x 55 | 75 | 80 | 120 | 380.00 | 60 |



RANGOLI

| | | | | | | | | | |
|--------------------------------------|-----|-------|-------|----------|----|----|--------|--------|----|
| RANGOLI - 6+3 Watt Dual Light | | | | | | | | | |
| RAN-6+3-6K+3K | 6+3 | 6K+3K | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-6K+R | 6+3 | 6K+R | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-6K+G | 6+3 | 6K+G | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-6K+B | 6+3 | 6K+B | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-6K+P | 6+3 | 6K+P | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-3K+6K | 6+3 | 3K+6K | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |
| RAN-6+3-B+3K | 6+3 | B+3K | >0.56 | 110 x 39 | 75 | 80 | 24/110 | 550.00 | 60 |



RANGOLI PLUS

| | | | | | | | | | |
|--|------|-------|-------|----------|----|----|--------|---------|----|
| RANGOLI PLUS - 12+6 Watt Dual Light | | | | | | | | | |
| RAN-12+6-6K+3K | 12+6 | 6K+3K | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-3K+B | 12+6 | 3K+B | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-6K+B | 12+6 | 6K+B | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |
| RAN-12+6-6K+P | 12+6 | 6K+P | >0.56 | 122 x 55 | 75 | 80 | 24/120 | 1260.00 | 40 |



All dimensions in mm





DISTINCT design

G2020 LED PANEL

Introducing the world's first LED with a modular detachable driver. The retrofit driver has a push-in pull-out design making the modular concept, first of its kind. G2020's strong and sturdy body made of aluminium, its functionality and illuminative impact are the impeccable facets to the design. Bring the experience of a new quality of light rendition to your world.

G2020
Tomorrow >> today

G2020

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

G2020 - 8 Watt Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|----------|-----|----|-----|--------|----|
| G20-8-3K-N-RC-RD | 8 | 3000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |
| G20-8-4K-N-RC-RD | 8 | 4000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |
| G20-8-6K-N-RC-RD | 8 | 6000K | >0.9 | 125 x 32 | 100 | 83 | 120 | 990.00 | 40 |



G2020 - 12 Watt Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-12-3K-N-RC-RD | 12 | 3000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-4K-N-RC-RD | 12 | 4000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-6K-N-RC-RD | 12 | 6000K | >0.9 | 150 x 32 | 125 | 83 | 120 | 1200.00 | 40 |



G2020 - 18 Watt Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-18-3K-N-RC-RD | 18 | 3000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-4K-N-RC-RD | 18 | 4000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-6K-N-RC-RD | 18 | 6000K | >0.9 | 175 x 32 | 150 | 83 | 120 | 1620.00 | 20 |



G2020 - 25 Watt Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| G20-25-3K-N-RC-RD | 25 | 3000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-4K-N-RC-RD | 25 | 4000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-6K-N-RC-RD | 25 | 6000K | >0.9 | 225 x 32 | 200 | 83 | 120 | 2200.00 | 20 |



G2020 - 8 Watt Panel Light - Square

| | | | | | | | | | |
|------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| G20-8-3K-N-RC-SQ | 8 | 3000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |
| G20-8-4K-N-RC-SQ | 8 | 4000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |
| G20-8-6K-N-RC-SQ | 8 | 6000K | >0.9 | 125 x 32 | 100 x 100 | 83 | 120 | 990.00 | 40 |



G2020 - 12 Watt Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-12-3K-N-RC-SQ | 12 | 3000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-4K-N-RC-SQ | 12 | 4000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |
| G20-12-6K-N-RC-SQ | 12 | 6000K | >0.9 | 150 x 32 | 125 x 125 | 83 | 120 | 1200.00 | 40 |



G2020 - 18 Watt Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-18-3K-N-RC-SQ | 18 | 3000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-4K-N-RC-SQ | 18 | 4000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |
| G20-18-6K-N-RC-SQ | 18 | 6000K | >0.9 | 175 x 32 | 150 x 150 | 83 | 120 | 1620.00 | 20 |



G2020 - 25 Watt Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| G20-25-3K-N-RC-SQ | 25 | 3000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-4K-N-RC-SQ | 25 | 4000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |
| G20-25-6K-N-RC-SQ | 25 | 6000K | >0.9 | 225 x 32 | 200 x 200 | 83 | 120 | 2200.00 | 20 |



All dimensions in mm





G2020

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| G2020 - 12 Watt Surface Panel Light - Round | | | | | | | | | |
| G20-12-3K-N-SF-RD | 12 | 3000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-4K-N-SF-RD | 12 | 4000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-6K-N-SF-RD | 12 | 6000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|---------|----|
| G2020 - 18 Watt Surface Panel Light - Round | | | | | | | | | |
| G20-18-3K-N-SF-RD | 18 | 3000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-4K-N-SF-RD | 18 | 4000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-6K-N-SF-RD | 18 | 6000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|---------|----|
| G2020 - 25 Watt Surface Panel Light - Round | | | | | | | | | |
| G20-25-3K-N-SF-RD | 25 | 3000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-4K-N-SF-RD | 25 | 4000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-6K-N-SF-RD | 25 | 6000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| G2020 - 12 Watt Surface Panel Light - Square | | | | | | | | | |
| G20-12-3K-N-SF-SQ | 12 | 3000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-4K-N-SF-SQ | 12 | 4000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |
| G20-12-6K-N-SF-SQ | 12 | 6000K | >0.9 | 155 x 36 | - | 83 | 120 | 1590.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| G2020 - 18 Watt Surface Panel Light - Square | | | | | | | | | |
| G20-18-3K-N-SF-SQ | 18 | 3000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-4K-N-SF-SQ | 18 | 4000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |
| G20-18-6K-N-SF-SQ | 18 | 6000K | >0.9 | 181 x 36 | - | 83 | 120 | 2150.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| G2020 - 25 Watt Surface Panel Light - Square | | | | | | | | | |
| G20-25-3K-N-SF-SQ | 25 | 3000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-4K-N-SF-SQ | 25 | 4000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |
| G20-25-6K-N-SF-SQ | 25 | 6000K | >0.9 | 229 x 36 | - | 83 | 120 | 2590.00 | 16 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

Twist in TWISTout



 **TWIST IN**
TWIST OUT

GOCO LED PANEL LIGHT

The new generation GOCO LED is designed for high performance with an innovative detachable driver. The twist-in twist-out driver design makes installation easy with a complimenting look to any home/ office décor. The panel lights have a longer life span delivering high lumens per watt, thus emitting better light.

GOCO
LED PANEL LIGHT



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| GOCO - 6 Watt Panel Light - Round | | | | | | | | | |
| GCO-6-3K-N-RC-RD | 6 | 3000K | >0.9 | 119 x 28 | 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-4K-N-RC-RD | 6 | 4000K | >0.9 | 119 x 28 | 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-6K-N-RC-RD | 6 | 6000K | >0.9 | 119 x 28 | 100 | 83 | 120 | 710.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|--------|----|
| GOCO - 10 Watt Panel Light - Round | | | | | | | | | |
| GCO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 144 x 28 | 125 | 83 | 120 | 920.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| GOCO - 15 Watt Panel Light - Round | | | | | | | | | |
| GCO-15-3K-N-RC-RD | 15 | 3000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-4K-N-RC-RD | 15 | 4000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-6K-N-RC-RD | 15 | 6000K | >0.9 | 169 x 28 | 150 | 83 | 120 | 1190.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| GOCO - 22 Watt Panel Light - Round | | | | | | | | | |
| GCO-22-3K-N-RC-RD | 22 | 3000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-4K-N-RC-RD | 22 | 4000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-6K-N-RC-RD | 22 | 6000K | >0.9 | 219 x 28 | 200 | 83 | 120 | 1690.00 | 20 |



| | | | | | | | | | |
|---|---|-------|------|----------|-----------|----|-----|--------|----|
| GOCO - 6 Watt Panel Light - Square | | | | | | | | | |
| GCO-6-3K-N-RC-SQ | 6 | 3000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-4K-N-RC-SQ | 6 | 4000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |
| GCO-6-6K-N-RC-SQ | 6 | 6000K | >0.9 | 119 x 28 | 100 x 100 | 83 | 120 | 710.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|--------|----|
| GOCO - 10 Watt Panel Light - Square | | | | | | | | | |
| GCO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |
| GCO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 144 x 28 | 125 x 125 | 83 | 120 | 920.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|---------|----|
| GOCO - 15 Watt Panel Light - Square | | | | | | | | | |
| GCO-15-3K-N-RC-SQ | 15 | 3000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-4K-N-RC-SQ | 15 | 4000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |
| GCO-15-6K-N-RC-SQ | 15 | 6000K | >0.9 | 169 x 28 | 150 x 150 | 83 | 120 | 1190.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|---------|----|
| GOCO - 22 Watt Panel Light - Square | | | | | | | | | |
| GCO-22-3K-N-RC-SQ | 22 | 3000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-4K-N-RC-SQ | 22 | 4000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |
| GCO-22-6K-N-RC-SQ | 22 | 6000K | >0.9 | 219 x 28 | 200 x 200 | 83 | 120 | 1690.00 | 20 |

G-ZERO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

G-ZERO - 3 Watt Slim Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|---------|----|----|-----|--------|----|
| GZE-3-3K-N-RC-RD | 3 | 3000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 430.00 | 60 |
| GZE-3-4K-N-RC-RD | 3 | 4000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 430.00 | 60 |
| GZE-3-6K-N-RC-RD | 3 | 6000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 430.00 | 60 |



G-ZERO - 5 Watt Slim Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|---------|----|----|-----|--------|----|
| GZE-5-3K-N-RC-RD | 5 | 3000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 510.00 | 60 |
| GZE-5-4K-N-RC-RD | 5 | 4000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 510.00 | 60 |
| GZE-5-6K-N-RC-RD | 5 | 6000K | >0.9 | 93 x 15 | 75 | 83 | 120 | 510.00 | 60 |



G-ZERO - 8 Watt Slim Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|----------|-----|----|-----|--------|----|
| GZE-8-3K-N-RC-RD | 8 | 3000K | >0.9 | 128 x 15 | 110 | 83 | 120 | 590.00 | 40 |
| GZE-8-4K-N-RC-RD | 8 | 4000K | >0.9 | 128 x 15 | 110 | 83 | 120 | 590.00 | 40 |
| GZE-8-6K-N-RC-RD | 8 | 6000K | >0.9 | 128 x 15 | 110 | 83 | 120 | 590.00 | 40 |



G-ZERO - 12 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| GZE-12-3K-N-RC-RD | 12 | 3000K | >0.9 | 180 x 15 | 160 | 83 | 120 | 850.00 | 20 |
| GZE-12-4K-N-RC-RD | 12 | 4000K | >0.9 | 180 x 15 | 160 | 83 | 120 | 850.00 | 20 |
| GZE-12-6K-N-RC-RD | 12 | 6000K | >0.9 | 180 x 15 | 160 | 83 | 120 | 850.00 | 20 |



G-ZERO - 15 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| GZE-15-3K-N-RC-RD | 15 | 3000K | >0.9 | 198 x 15 | 180 | 83 | 120 | 940.00 | 20 |
| GZE-15-4K-N-RC-RD | 15 | 4000K | >0.9 | 198 x 15 | 180 | 83 | 120 | 940.00 | 20 |
| GZE-15-6K-N-RC-RD | 15 | 6000K | >0.9 | 198 x 15 | 180 | 83 | 120 | 940.00 | 20 |



G-ZERO - 22 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| GZE-22-3K-N-RC-RD | 22 | 3000K | >0.9 | 228 x 15 | 210 | 83 | 120 | 1450.00 | 20 |
| GZE-22-4K-N-RC-RD | 22 | 4000K | >0.9 | 228 x 15 | 210 | 83 | 120 | 1450.00 | 20 |
| GZE-22-6K-N-RC-RD | 22 | 6000K | >0.9 | 228 x 15 | 210 | 83 | 120 | 1450.00 | 20 |



All dimensions in mm





G-ZERO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| G-ZERO - 3 Watt Slim Panel Light - Square | | | | | | | | | |
| GZE-3-3K-N-RC-SQ | 3 | 3000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 430.00 | 60 |
| GZE-3-4K-N-RC-SQ | 3 | 4000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 430.00 | 60 |
| GZE-3-6K-N-RC-SQ | 3 | 6000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 430.00 | 60 |



| G-ZERO - 5 Watt Slim Panel Light - Square | | | | | | | | | |
|--|---|-------|------|---------|---------|----|-----|--------|----|
| GZE-5-3K-N-RC-SQ | 5 | 3000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 510.00 | 60 |
| GZE-5-4K-N-RC-SQ | 5 | 4000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 510.00 | 60 |
| GZE-5-6K-N-RC-SQ | 5 | 6000K | >0.9 | 93 x 15 | 75 X 75 | 83 | 120 | 510.00 | 60 |



| G-ZERO - 8 Watt Slim Panel Light - Square | | | | | | | | | |
|--|---|-------|------|----------|-----------|----|-----|--------|----|
| GZE-8-3K-N-RC-SQ | 8 | 3000K | >0.9 | 128 x 15 | 110 X 110 | 83 | 120 | 590.00 | 40 |
| GZE-8-4K-N-RC-SQ | 8 | 4000K | >0.9 | 128 x 15 | 110 X 110 | 83 | 120 | 590.00 | 40 |
| GZE-8-6K-N-RC-SQ | 8 | 6000K | >0.9 | 128 x 15 | 110 X 110 | 83 | 120 | 590.00 | 40 |



| G-ZERO - 12 Watt Slim Panel Light - Square | | | | | | | | | |
|---|----|-------|------|----------|-----------|----|-----|--------|----|
| GZE-12-3K-N-RC-SQ | 12 | 3000K | >0.9 | 180 x 15 | 160 X 160 | 83 | 120 | 850.00 | 20 |
| GZE-12-4K-N-RC-SQ | 12 | 4000K | >0.9 | 180 x 15 | 160 X 160 | 83 | 120 | 850.00 | 20 |
| GZE-12-6K-N-RC-SQ | 12 | 6000K | >0.9 | 180 x 15 | 160 X 160 | 83 | 120 | 850.00 | 20 |



| G-ZERO - 15 Watt Slim Panel Light - Square | | | | | | | | | |
|---|----|-------|------|----------|-----------|----|-----|--------|----|
| GZE-15-3K-N-RC-SQ | 15 | 3000K | >0.9 | 198 x 15 | 180 X 180 | 83 | 120 | 940.00 | 20 |
| GZE-15-4K-N-RC-SQ | 15 | 4000K | >0.9 | 198 x 15 | 180 X 180 | 83 | 120 | 940.00 | 20 |
| GZE-15-6K-N-RC-SQ | 15 | 6000K | >0.9 | 198 x 15 | 180 X 180 | 83 | 120 | 940.00 | 20 |



| G-ZERO - 22 Watt Slim Panel Light - Square | | | | | | | | | |
|---|----|-------|------|----------|-----------|----|-----|---------|----|
| GZE-22-3K-N-RC-SQ | 22 | 3000K | >0.9 | 228 x 15 | 210 X 210 | 83 | 120 | 1450.00 | 20 |
| GZE-22-4K-N-RC-SQ | 22 | 4000K | >0.9 | 228 x 15 | 210 X 210 | 83 | 120 | 1450.00 | 20 |
| GZE-22-6K-N-RC-SQ | 22 | 6000K | >0.9 | 228 x 15 | 210 X 210 | 83 | 120 | 1450.00 | 20 |

OCHO

ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG.

OCHO - 3 Watt Ultra Slim Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|---------|----|----|-----|--------|----|
| GM 0403 | 3 | 3000K | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |
| GM 0402 | 3 | 4000K | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |
| GM 0401 | 3 | 6500K | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |
| GM 0404 | 3 | RED | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |
| GM 0405 | 3 | GREEN | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |
| GM 0406 | 3 | BLUE | >0.5 | 85 x 19 | 75 | 80 | 110 | 380.00 | 50 |



OCHO - 6 Watt Ultra Slim Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|----------|-----|----|-----|--------|----|
| GM 0148 | 6 | 3000K | >0.5 | 120 x 19 | 105 | 80 | 110 | 600.00 | 30 |
| GM 0147 | 6 | 4000K | >0.5 | 120 x 19 | 105 | 80 | 110 | 600.00 | 30 |
| GM 0146 | 6 | 6500K | >0.5 | 120 x 19 | 105 | 80 | 110 | 600.00 | 30 |



OCHO - 12 Watt Ultra Slim Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0151 | 12 | 3000K | >0.9 | 172 x 19 | 160 | 80 | 110 | 920.00 | 20 |
| GM 0150 | 12 | 4000K | >0.9 | 172 x 19 | 160 | 80 | 110 | 920.00 | 20 |
| GM 0149 | 12 | 6500K | >0.9 | 172 x 19 | 160 | 80 | 110 | 920.00 | 20 |



OCHO - 18 Watt Ultra Slim Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0154 | 18 | 3000K | >0.9 | 227 x 19 | 215 | 80 | 110 | 1300.00 | 20 |
| GM 0153 | 18 | 4000K | >0.9 | 227 x 19 | 215 | 80 | 110 | 1300.00 | 20 |
| GM 0152 | 18 | 6500K | >0.9 | 227 x 19 | 215 | 80 | 110 | 1300.00 | 20 |



OCHO - 3 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|---|-------|------|---------|---------|----|-----|--------|----|
| GM 0409 | 3 | 3000K | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |
| GM 0408 | 3 | 4000K | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |
| GM 0407 | 3 | 6500K | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |
| GM 0410 | 3 | RED | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |
| GM 0411 | 3 | GREEN | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |
| GM 0412 | 3 | BLUE | >0.5 | 85 x 19 | 75 x 75 | 80 | 110 | 380.00 | 50 |



OCHO - 6 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|---|-------|------|----------|-----------|----|-----|--------|----|
| GM 0157 | 6 | 3000K | >0.5 | 120 x 19 | 105 x 105 | 80 | 110 | 600.00 | 30 |
| GM 0156 | 6 | 4000K | >0.5 | 120 x 19 | 105 x 105 | 80 | 110 | 600.00 | 30 |
| GM 0155 | 6 | 6500K | >0.5 | 120 x 19 | 105 x 105 | 80 | 110 | 600.00 | 30 |



OCHO - 12 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0160 | 12 | 3000K | >0.9 | 172 x 19 | 160 x 160 | 80 | 110 | 920.00 | 20 |
| GM 0159 | 12 | 4000K | >0.9 | 172 x 19 | 160 x 160 | 80 | 110 | 920.00 | 20 |
| GM 0158 | 12 | 6500K | >0.9 | 172 x 19 | 160 x 160 | 80 | 110 | 920.00 | 20 |



OCHO - 18 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0163 | 18 | 3000K | >0.9 | 227 x 19 | 215 x 215 | 80 | 110 | 1300.00 | 20 |
| GM 0162 | 18 | 4000K | >0.9 | 227 x 19 | 215 x 215 | 80 | 110 | 1300.00 | 20 |
| GM 0161 | 18 | 6500K | >0.9 | 227 x 19 | 215 x 215 | 80 | 110 | 1300.00 | 20 |

All dimensions in mm



Make way for new
experiences

Light gives a sense of fulfilment. It fills you with immense joy and makes you content. The LED lights attempt to keep you close to the nature by being eco-friendly. Their efficient functionality serves the purpose exceedingly well and engaging appearance effectively holds attention. They make each day worth living and full of new experiences.





OCHO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|----------|-----|-------|---------|------|
| OCHO - 12 Watt Ultra Slim Surface Panel Light - Round | | | | | | | | | |
| GM 0166 | 12 | 3000K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |
| GM 0165 | 12 | 4000K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |
| GM 0164 | 12 | 6500K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|---------|----|
| OCHO - 18 Watt Ultra Slim Surface Panel Light - Round | | | | | | | | | |
| GM 0169 | 18 | 3000K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |
| GM 0168 | 18 | 4000K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |
| GM 0167 | 18 | 6500K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|---------|----|
| OCHO - 24 Watt Ultra Slim Surface Panel Light - Round | | | | | | | | | |
| GM 0172 | 24 | 3000K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |
| GM 0171 | 24 | 4000K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |
| GM 0170 | 24 | 6500K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| OCHO - 12 Watt Ultra Slim Surface Panel Light - Square | | | | | | | | | |
| GM 0175 | 12 | 3000K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |
| GM 0174 | 12 | 4000K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |
| GM 0173 | 12 | 6500K | >0.9 | 120 x 36 | - | 80 | 110 | 1290.00 | 30 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| OCHO - 18 Watt Ultra Slim Surface Panel Light - Square | | | | | | | | | |
| GM 0178 | 18 | 3000K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |
| GM 0177 | 18 | 4000K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |
| GM 0176 | 18 | 6500K | >0.9 | 150 x 36 | - | 80 | 110 | 1820.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|---|----|-----|---------|----|
| OCHO - 24 Watt Ultra Slim Surface Panel Light - Square | | | | | | | | | |
| GM 0181 | 24 | 3000K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |
| GM 0180 | 24 | 4000K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |
| GM 0179 | 24 | 6500K | >0.9 | 200 x 36 | - | 80 | 110 | 2400.00 | 20 |

PLANO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|----------|-----|-------|--------|------|
| PLANO - 3 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0235 | 3 | 3000K | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |
| GM 0234 | 3 | 4000K | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |
| GM 0233 | 3 | 6500K | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |
| GM 0317 | 3 | RED | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |
| GM 0318 | 3 | GREEN | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |
| GM 0319 | 3 | BLUE | >0.5 | 90 x 25 | 75 | 80 | 120 | 350.00 | 100 |



| | | | | | | | | | |
|--|---|-------|------|----------|-----|----|-----|--------|----|
| PLANO - 6 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0238 | 6 | 3000K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |
| GM 0237 | 6 | 4000K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |
| GM 0236 | 6 | 6500K | >0.5 | 126 x 25 | 110 | 80 | 120 | 530.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|--------|----|
| PLANO - 12 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0241 | 12 | 3000K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |
| GM 0240 | 12 | 4000K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |
| GM 0239 | 12 | 6500K | >0.9 | 178 x 25 | 155 | 80 | 120 | 790.00 | 30 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|--------|----|
| PLANO - 15 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0244 | 15 | 3000K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |
| GM 0243 | 15 | 4000K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |
| GM 0242 | 15 | 6500K | >0.9 | 190 x 25 | 180 | 80 | 120 | 870.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| PLANO - 18 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0247 | 18 | 3000K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |
| GM 0246 | 18 | 4000K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |
| GM 0245 | 18 | 6500K | >0.9 | 225 x 25 | 210 | 80 | 120 | 1130.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| PLANO - 24 Watt Ultra Slim Panel Light - Round | | | | | | | | | |
| GM 0388 | 24 | 3000K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |
| GM 0387 | 24 | 4000K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |
| GM 0386 | 24 | 6500K | >0.9 | 300 x 25 | 285 | 80 | 120 | 1650.00 | 10 |



All dimensions in mm



PLANO - 3 Watt Ultra Slim Panel Light - Square

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|------|-----------|----------|-----|-------|--------|------|
| GM 0250 | 3 | 3000K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0249 | 3 | 4000K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0248 | 3 | 6500K | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0320 | 3 | RED | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0321 | 3 | GREEN | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |
| GM 0322 | 3 | BLUE | >0.5 | 90 x 25 | 75 x 75 | 80 | 120 | 350.00 | 100 |

PLANO - 6 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|---|-------|------|----------|-----------|----|-----|--------|----|
| GM 0253 | 6 | 3000K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |
| GM 0252 | 6 | 4000K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |
| GM 0251 | 6 | 6500K | >0.5 | 126 x 25 | 110 x 110 | 80 | 120 | 530.00 | 40 |

PLANO - 12 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0256 | 12 | 3000K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |
| GM 0255 | 12 | 4000K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |
| GM 0254 | 12 | 6500K | >0.9 | 178 x 25 | 155 x 155 | 80 | 120 | 790.00 | 30 |

PLANO - 15 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0259 | 15 | 3000K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |
| GM 0258 | 15 | 4000K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |
| GM 0257 | 15 | 6500K | >0.9 | 190 x 25 | 180 x 180 | 80 | 120 | 870.00 | 20 |

PLANO - 18 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0262 | 18 | 3000K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |
| GM 0261 | 18 | 4000K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |
| GM 0260 | 18 | 6500K | >0.9 | 225 x 25 | 210 x 210 | 80 | 120 | 1130.00 | 20 |

PLANO - 24 Watt Ultra Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0391 | 24 | 3000K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |
| GM 0390 | 24 | 4000K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |
| GM 0389 | 24 | 6500K | >0.9 | 300 x 25 | 285 x 285 | 80 | 120 | 1650.00 | 10 |

PLANO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|

PLANO - 5 Watt Surface Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|---------|---|----|-----|--------|----|
| GM 0265 | 5 | 3000K | >0.5 | 95 x 35 | - | 80 | 120 | 570.00 | 60 |
| GM 0264 | 5 | 4000K | >0.5 | 95 x 35 | - | 80 | 120 | 570.00 | 60 |
| GM 0263 | 5 | 6500K | >0.5 | 95 x 35 | - | 80 | 120 | 570.00 | 60 |



PLANO - 8 Watt Surface Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|----------|---|----|-----|--------|----|
| GM 0268 | 8 | 3000K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |
| GM 0267 | 8 | 4000K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |
| GM 0266 | 8 | 6500K | >0.5 | 130 x 33 | - | 80 | 120 | 730.00 | 45 |



PLANO - 16 Watt Surface Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0271 | 16 | 3000K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |
| GM 0270 | 16 | 4000K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |
| GM 0269 | 16 | 6500K | >0.9 | 180 x 33 | - | 80 | 120 | 1290.00 | 20 |



PLANO - 22 Watt Surface Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0274 | 22 | 3000K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |
| GM 0273 | 22 | 4000K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |
| GM 0272 | 22 | 6500K | >0.9 | 227 x 37 | - | 80 | 120 | 1960.00 | 10 |



PLANO - 30 Watt Surface Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|---|----|-----|---------|----|
| GM 0277 | 30 | 3000K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |
| GM 0276 | 30 | 4000K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |
| GM 0275 | 30 | 6500K | >0.9 | 273 x 37 | - | 80 | 120 | 2430.00 | 10 |



All dimensions in mm





PLANO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| PLANO - 5 Watt Surface Panel Light - Square | | | | | | | | | |
| GM 0280 | 5 | 3000K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |
| GM 0279 | 5 | 4000K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |
| GM 0278 | 5 | 6500K | >0.5 | 96 x 96 | - | 80 | 120 | 570.00 | 60 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| PLANO - 8 Watt Surface Panel Light - Square | | | | | | | | | |
| GM 0283 | 8 | 3000K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |
| GM 0282 | 8 | 4000K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |
| GM 0281 | 8 | 6500K | >0.5 | 127 x 127 | - | 80 | 120 | 730.00 | 45 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| PLANO - 16 Watt Surface Panel Light - Square | | | | | | | | | |
| GM 0286 | 16 | 3000K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |
| GM 0285 | 16 | 4000K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |
| GM 0284 | 16 | 6500K | >0.9 | 176 x 176 | - | 80 | 120 | 1290.00 | 20 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| PLANO - 22 Watt Surface Panel Light - Square | | | | | | | | | |
| GM 0289 | 22 | 3000K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |
| GM 0288 | 22 | 4000K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |
| GM 0287 | 22 | 6500K | >0.9 | 226 x 226 | - | 80 | 120 | 1960.00 | 10 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| PLANO - 30 Watt Surface Panel Light - Square | | | | | | | | | |
| GM 0292 | 30 | 3000K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |
| GM 0291 | 30 | 4000K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |
| GM 0290 | 30 | 6500K | >0.9 | 273 x 273 | - | 80 | 120 | 2430.00 | 10 |

All dimensions in mm

ESPANO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

ESPANO - 3 Watt Slim Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|---------|----|----|-----|--------|----|
| GM 0427 | 3 | 3000K | >0.5 | 88 x 17 | 77 | 80 | 110 | 380.00 | 50 |
| GM 0426 | 3 | 4000K | >0.5 | 88 x 17 | 77 | 80 | 110 | 380.00 | 50 |
| GM 0425 | 3 | 6500K | >0.5 | 88 x 17 | 77 | 80 | 110 | 380.00 | 50 |



ESPANO - 6 Watt Slim Panel Light - Round

| | | | | | | | | | |
|---------|---|-------|------|----------|-----|----|-----|--------|----|
| GM 0430 | 6 | 3000K | >0.5 | 120 x 18 | 105 | 80 | 110 | 600.00 | 30 |
| GM 0429 | 6 | 4000K | >0.5 | 120 x 18 | 105 | 80 | 110 | 600.00 | 30 |
| GM 0428 | 6 | 6500K | >0.5 | 120 x 18 | 105 | 80 | 110 | 600.00 | 30 |



ESPANO - 12 Watt Slim Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0433 | 12 | 3000K | >0.9 | 172 x 18 | 155 | 80 | 110 | 920.00 | 20 |
| GM 0432 | 12 | 4000K | >0.9 | 172 x 18 | 155 | 80 | 110 | 920.00 | 20 |
| GM 0431 | 12 | 6500K | >0.9 | 172 x 18 | 155 | 80 | 110 | 920.00 | 20 |



ESPANO - 18 Watt Slim Panel Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0436 | 18 | 3000K | >0.9 | 227 x 18 | 210 | 80 | 110 | 1300.00 | 10 |
| GM 0435 | 18 | 4000K | >0.9 | 227 x 18 | 210 | 80 | 110 | 1300.00 | 10 |
| GM 0434 | 18 | 6500K | >0.9 | 227 x 18 | 210 | 80 | 110 | 1300.00 | 10 |



ESPANO - 3 Watt Slim Panel Light - Square

| | | | | | | | | | |
|---------|---|-------|------|---------|---------|----|-----|--------|----|
| GM 0439 | 3 | 3000K | >0.5 | 88 x 17 | 77 x 77 | 80 | 110 | 380.00 | 50 |
| GM 0438 | 3 | 4000K | >0.5 | 88 x 17 | 77 x 77 | 80 | 110 | 380.00 | 50 |
| GM 0437 | 3 | 6500K | >0.5 | 88 x 17 | 77 x 77 | 80 | 110 | 380.00 | 50 |



ESPANO - 6 Watt Slim Panel Light - Square

| | | | | | | | | | |
|---------|---|-------|------|----------|-----------|----|-----|--------|----|
| GM 0442 | 6 | 3000K | >0.5 | 120 x 18 | 105 x 105 | 80 | 110 | 600.00 | 30 |
| GM 0441 | 6 | 4000K | >0.5 | 120 x 18 | 105 x 105 | 80 | 110 | 600.00 | 30 |
| GM 0440 | 6 | 6500K | >0.5 | 120 x 18 | 105 x 105 | 80 | 110 | 600.00 | 30 |



ESPANO - 12 Watt Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0445 | 12 | 3000K | >0.9 | 172 x 18 | 155 x 155 | 80 | 110 | 920.00 | 20 |
| GM 0444 | 12 | 4000K | >0.9 | 172 x 18 | 155 x 155 | 80 | 110 | 920.00 | 20 |
| GM 0443 | 12 | 6500K | >0.9 | 172 x 18 | 155 x 155 | 80 | 110 | 920.00 | 20 |



ESPANO - 18 Watt Slim Panel Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0448 | 18 | 3000K | >0.9 | 227 x 18 | 210 x 210 | 80 | 110 | 1300.00 | 10 |
| GM 0447 | 18 | 4000K | >0.9 | 227 x 18 | 210 x 210 | 80 | 110 | 1300.00 | 10 |
| GM 0446 | 18 | 6500K | >0.9 | 227 x 18 | 210 x 210 | 80 | 110 | 1300.00 | 10 |



All dimensions in mm

Slimmer, Lighter
and **POWERFUL**



MORE SLIM. MORE LIGHT.

YOLO
SLIM PANEL LIGHT

SLIM LED PANEL LIGHTS

The new Yolo is now slimmer and lighter with powerful illumination and anti-glare diffuser. It has a robust plastic body that keeps it light on weight. Yolo has a built-in driver that expels the hassle of an external driver. It is one of the most powerful bright LED panel lights and at the same time is energy-saving.

YOLO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|-----------|-----|-------|-------|------|

YOLO - 3 Watt Slim Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|---------|----|----|-----|--------|----|
| YLO-3-3K-N-RC-RD | 3 | 3000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-4K-N-RC-RD | 3 | 4000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-6K-N-RC-RD | 3 | 6000K | >0.5 | 93 x 28 | 75 | 80 | 120 | 350.00 | 60 |

YOLO - 6 Watt Slim Panel Light - Round

| | | | | | | | | | |
|------------------|---|-------|------|----------|-----|----|-----|--------|----|
| YLO-6-3K-N-RC-RD | 6 | 3000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-4K-N-RC-RD | 6 | 4000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-6K-N-RC-RD | 6 | 6000K | >0.5 | 118 x 28 | 100 | 80 | 120 | 520.00 | 60 |

YOLO - 10 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| YLO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 142 x 28 | 125 | 80 | 120 | 740.00 | 40 |

YOLO - 15 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|--------|----|
| YLO-15-3K-N-RC-RD | 15 | 3000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-4K-N-RC-RD | 15 | 4000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-6K-N-RC-RD | 15 | 6000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |

YOLO - 20 Watt Slim Panel Light - Round

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----|----|-----|---------|----|
| YLO-20-3K-N-RC-RD | 20 | 3000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-4K-N-RC-RD | 20 | 4000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-6K-N-RC-RD | 20 | 6000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1300.00 | 20 |

YOLO - 3 Watt Slim Panel Light - Square

| | | | | | | | | | |
|------------------|---|-------|------|---------|---------|----|-----|--------|----|
| YLO-3-3K-N-RC-SQ | 3 | 3000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-4K-N-RC-SQ | 3 | 4000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |
| YLO-3-6K-N-RC-SQ | 3 | 6000K | >0.5 | 93 x 28 | 75 x 75 | 80 | 120 | 350.00 | 60 |

YOLO - 6 Watt Slim Panel Light - Square

| | | | | | | | | | |
|------------------|---|-------|------|----------|-----------|----|-----|--------|----|
| YLO-6-3K-N-RC-SQ | 6 | 3000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-4K-N-RC-SQ | 6 | 4000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |
| YLO-6-6K-N-RC-SQ | 6 | 6000K | >0.5 | 118 x 28 | 100 x 100 | 80 | 120 | 520.00 | 60 |

YOLO - 10 Watt Slim Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| YLO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |
| YLO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 142 x 28 | 125 x 125 | 80 | 120 | 740.00 | 40 |

YOLO - 15 Watt Slim Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|--------|----|
| YLO-15-3K-N-RC-SQ | 15 | 3000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-4K-N-RC-SQ | 15 | 4000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| YLO-15-6K-N-RC-SQ | 15 | 6000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |

YOLO - 20 Watt Slim Panel Light - Square

| | | | | | | | | | |
|-------------------|----|-------|------|----------|-----------|----|-----|---------|----|
| YLO-20-3K-N-RC-SQ | 20 | 3000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-4K-N-RC-SQ | 20 | 4000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |
| YLO-20-6K-N-RC-SQ | 20 | 6000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1300.00 | 20 |



All dimensions in mm



Immerse yourself
in a **TRIMLESS** beauty



The G-LO Downlights increase the beauty quotient of the interiors by making the dull-looking ceilings alluring. The downlights that are made of high grade raw materials expend less energy and are eco-friendly. They have a basic installation procedure and contain no mercury.



TRIM
LESS

G·LO
PANEL
LIGHT



G-LO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| G-LO - 6 Watt Panel Light - Round | | | | | | | | | |
| G-LO-6-3K-N-RC-RD | 6 | 3000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 390.00 | 60 |
| G-LO-6-4K-N-RC-RD | 6 | 4000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 390.00 | 60 |
| G-LO-6-6K-N-RC-RD | 6 | 6000K | >0.9 | 118 x 28 | 100 | 80 | 120 | 390.00 | 60 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|--------|----|
| G-LO - 10 Watt Panel Light - Round | | | | | | | | | |
| G-LO-10-3K-N-RC-RD | 10 | 3000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 670.00 | 40 |
| G-LO-10-4K-N-RC-RD | 10 | 4000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 670.00 | 40 |
| G-LO-10-6K-N-RC-RD | 10 | 6000K | >0.9 | 150 x 28 | 125 | 80 | 120 | 670.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|--------|----|
| G-LO - 16 Watt Panel Light - Round | | | | | | | | | |
| G-LO-16-3K-N-RC-RD | 16 | 3000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| G-LO-16-4K-N-RC-RD | 16 | 4000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |
| G-LO-16-6K-N-RC-RD | 16 | 6000K | >0.9 | 168 x 28 | 150 | 80 | 120 | 920.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| G-LO - 22 Watt Panel Light - Round | | | | | | | | | |
| G-LO-22-3K-N-RC-RD | 22 | 3000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1200.00 | 20 |
| G-LO-22-4K-N-RC-RD | 22 | 4000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1200.00 | 20 |
| G-LO-22-6K-N-RC-RD | 22 | 6000K | >0.9 | 218 x 28 | 200 | 80 | 120 | 1200.00 | 20 |



| | | | | | | | | | |
|---|---|-------|------|----------|-----------|----|-----|--------|----|
| G-LO - 6 Watt Panel Light - Square | | | | | | | | | |
| G-LO-6-3K-N-RC-SQ | 6 | 3000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 390.00 | 60 |
| G-LO-6-4K-N-RC-SQ | 6 | 4000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 390.00 | 60 |
| G-LO-6-6K-N-RC-SQ | 6 | 6000K | >0.9 | 118 x 28 | 100 x 100 | 80 | 120 | 390.00 | 60 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|--------|----|
| G-LO - 10 Watt Panel Light - Square | | | | | | | | | |
| G-LO-10-3K-N-RC-SQ | 10 | 3000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 670.00 | 40 |
| G-LO-10-4K-N-RC-SQ | 10 | 4000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 670.00 | 40 |
| G-LO-10-6K-N-RC-SQ | 10 | 6000K | >0.9 | 150 x 28 | 125 x 125 | 80 | 120 | 670.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|--------|----|
| G-LO - 16 Watt Panel Light - Square | | | | | | | | | |
| G-LO-16-3K-N-RC-SQ | 16 | 3000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| G-LO-16-4K-N-RC-SQ | 16 | 4000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |
| G-LO-16-6K-N-RC-SQ | 16 | 6000K | >0.9 | 168 x 28 | 150 x 150 | 80 | 120 | 920.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|-----|---------|----|
| G-LO - 22 Watt Panel Light - Square | | | | | | | | | |
| G-LO-22-3K-N-RC-SQ | 22 | 3000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1200.00 | 20 |
| G-LO-22-4K-N-RC-SQ | 22 | 4000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1200.00 | 20 |
| G-LO-22-6K-N-RC-SQ | 22 | 6000K | >0.9 | 218 x 28 | 200 x 200 | 80 | 120 | 1200.00 | 20 |



ILLUMINATING INTELLIGENTLY



BIS APPROVED

All dimensions in mm

LIGHT IS LIFE

XZORO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|----------|-----|-------|--------|------|
| XZORO - 7 Watt Surface Light - Round | | | | | | | | | |
| XZO-7-3K-N-SF-RD | 7 | 3000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |
| XZO-7-4K-N-SF-RD | 7 | 4000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |
| XZO-7-6K-N-SF-RD | 7 | 6000K | >0.9 | 85 x 47 | - | 83 | 120 | 460.00 | 60 |



| | | | | | | | | | |
|---|---|-------|------|----------|---|----|-----|--------|----|
| XZORO - 9 Watt Surface Light - Round | | | | | | | | | |
| XZO-9-3K-N-SF-RD | 9 | 3000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |
| XZO-9-4K-N-SF-RD | 9 | 4000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |
| XZO-9-6K-N-SF-RD | 9 | 6000K | >0.9 | 110 x 47 | - | 83 | 120 | 590.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|--------|----|
| XZORO - 12 Watt Surface Light - Round | | | | | | | | | |
| XZO-12-3K-N-SF-RD | 12 | 3000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |
| XZO-12-4K-N-SF-RD | 12 | 4000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |
| XZO-12-6K-N-SF-RD | 12 | 6000K | >0.9 | 135 x 47 | - | 83 | 120 | 710.00 | 40 |



| | | | | | | | | | |
|--|----|-------|------|----------|---|----|-----|---------|----|
| XZORO - 20 Watt Surface Light - Round | | | | | | | | | |
| XZO-20-3K-N-SF-RD | 20 | 3000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |
| XZO-20-4K-N-SF-RD | 20 | 4000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |
| XZO-20-6K-N-SF-RD | 20 | 6000K | >0.9 | 185 x 51 | - | 83 | 120 | 1340.00 | 20 |



PHANTOM

| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| PHANTOM - 10 Watt Down Light - Round | | | | | | | | | |
| PHA-10-3K | 10 | 3000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |
| PHA-10-4K | 10 | 4000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |
| PHA-10-6K | 10 | 6000K | >0.9 | 118 X 52 | 100 | 80 | 120 | 1190.00 | 40 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| PHANTOM - 15 Watt Down Light - Round | | | | | | | | | |
| PHA-15-3K | 15 | 3000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |
| PHA-15-4K | 15 | 4000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |
| PHA-15-6K | 15 | 6000K | >0.9 | 148 X 52 | 125 | 80 | 120 | 1590.00 | 30 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|-----|---------|----|
| PHANTOM - 20 Watt Down Light - Round | | | | | | | | | |
| PHA-20-3K | 20 | 3000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |
| PHA-20-4K | 20 | 4000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |
| PHA-20-6K | 20 | 6000K | >0.9 | 178 X 56 | 150 | 80 | 120 | 2140.00 | 20 |



All dimensions in mm



CRUZE



LUMINO



Change perceptions
and ceilings!



TABLA - SQ



TABLA-RD



Seeing things from an alternate perspective, and inviting change goes far in having a solid existence. Similarly, a little change in the ceiling can have an immense effect in the general appearance of your home and your state of being.



CRUZE

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| CRUZE - 10 Watt Down Light - Round | | | | | | | | | |
| GM 0217 | 10 | 3000K | >0.5 | 108 x 78 | 95 | 80 | 60 | 1270.00 | 30 |
| GM 0216 | 10 | 4000K | >0.5 | 108 x 78 | 95 | 80 | 60 | 1270.00 | 30 |
| GM 0215 | 10 | 6500K | >0.5 | 108 x 78 | 95 | 80 | 60 | 1270.00 | 30 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|----|---------|----|
| CRUZE - 16 Watt Down Light - Round | | | | | | | | | |
| GM 0220 | 16 | 3000K | >0.9 | 124 x 78 | 115 | 80 | 60 | 1920.00 | 20 |
| GM 0219 | 16 | 4000K | >0.9 | 124 x 78 | 115 | 80 | 60 | 1920.00 | 20 |
| GM 0218 | 16 | 6500K | >0.9 | 124 x 78 | 115 | 80 | 60 | 1920.00 | 20 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|----|---------|----|
| CRUZE - 21 Watt Down Light - Round | | | | | | | | | |
| GM 0223 | 21 | 3000K | >0.9 | 150 x 85 | 135 | 80 | 60 | 2600.00 | 20 |
| GM 0222 | 21 | 4000K | >0.9 | 150 x 85 | 135 | 80 | 60 | 2600.00 | 20 |
| GM 0221 | 21 | 6500K | >0.9 | 150 x 85 | 135 | 80 | 60 | 2600.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|---------|----|----|---------|----|
| CRUZE - 10 Watt Down Light - Square | | | | | | | | | |
| GM 0226 | 10 | 3000K | >0.5 | 105 x 75 | 95 x 95 | 80 | 60 | 1270.00 | 30 |
| GM 0225 | 10 | 4000K | >0.5 | 105 x 75 | 95 x 95 | 80 | 60 | 1270.00 | 30 |
| GM 0224 | 10 | 6500K | >0.5 | 105 x 75 | 95 x 95 | 80 | 60 | 1270.00 | 30 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|----|---------|----|
| CRUZE - 16 Watt Down Light - Square | | | | | | | | | |
| GM 0229 | 16 | 3000K | >0.9 | 124 x 78 | 115 x 115 | 80 | 60 | 1920.00 | 20 |
| GM 0228 | 16 | 4000K | >0.9 | 124 x 78 | 115 x 115 | 80 | 60 | 1920.00 | 20 |
| GM 0227 | 16 | 6500K | >0.9 | 124 x 78 | 115 x 115 | 80 | 60 | 1920.00 | 20 |



| | | | | | | | | | |
|--|----|-------|------|----------|-----------|----|----|---------|----|
| CRUZE - 21 Watt Down Light - Square | | | | | | | | | |
| GM 0232 | 21 | 3000K | >0.9 | 150 x 85 | 135 x 135 | 80 | 60 | 2600.00 | 20 |
| GM 0231 | 21 | 4000K | >0.9 | 150 x 85 | 135 x 135 | 80 | 60 | 2600.00 | 20 |
| GM 0230 | 21 | 6500K | >0.9 | 150 x 85 | 135 x 135 | 80 | 60 | 2600.00 | 20 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

LUMINO

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|

LUMINO - 6 Watt Down Light - Round

| | | | | | | | | | |
|---------|---|-------|------|---------|----|----|-----|--------|----|
| GM 0295 | 6 | 3000K | >0.5 | 90 x 32 | 75 | 80 | 120 | 600.00 | 40 |
| GM 0294 | 6 | 4000K | >0.5 | 90 x 32 | 75 | 80 | 120 | 600.00 | 40 |
| GM 0293 | 6 | 6500K | >0.5 | 90 x 32 | 75 | 80 | 120 | 600.00 | 40 |



LUMINO - 12 Watt Down Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|--------|----|
| GM 0298 | 12 | 3000K | >0.9 | 120 x 32 | 106 | 80 | 120 | 950.00 | 40 |
| GM 0297 | 12 | 4000K | >0.9 | 120 x 32 | 106 | 80 | 120 | 950.00 | 40 |
| GM 0296 | 12 | 6500K | >0.9 | 120 x 32 | 106 | 80 | 120 | 950.00 | 40 |



LUMINO - 18 Watt Down Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0301 | 18 | 3000K | >0.9 | 170 x 32 | 158 | 80 | 120 | 1340.00 | 30 |
| GM 0300 | 18 | 4000K | >0.9 | 170 x 32 | 158 | 80 | 120 | 1340.00 | 30 |
| GM 0299 | 18 | 6500K | >0.9 | 170 x 32 | 158 | 80 | 120 | 1340.00 | 30 |



LUMINO - 24 Watt Down Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|-----|---------|----|
| GM 0304 | 24 | 3000K | >0.9 | 225 x 32 | 208 | 80 | 120 | 1840.00 | 20 |
| GM 0303 | 24 | 4000K | >0.9 | 225 x 32 | 208 | 80 | 120 | 1840.00 | 20 |
| GM 0302 | 24 | 6500K | >0.9 | 225 x 32 | 208 | 80 | 120 | 1840.00 | 20 |



LUMINO - 6 Watt Down Light - Square

| | | | | | | | | | |
|---------|---|-------|------|---------|---------|----|-----|--------|----|
| GM 0307 | 6 | 3000K | >0.5 | 90 x 32 | 75 x 75 | 80 | 120 | 600.00 | 40 |
| GM 0306 | 6 | 4000K | >0.5 | 90 x 32 | 75 x 75 | 80 | 120 | 600.00 | 40 |
| GM 0305 | 6 | 6500K | >0.5 | 90 x 32 | 75 x 75 | 80 | 120 | 600.00 | 40 |



LUMINO - 12 Watt Down Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|--------|----|
| GM 0310 | 12 | 3000K | >0.9 | 120 x 32 | 106 x 106 | 80 | 120 | 950.00 | 40 |
| GM 0309 | 12 | 4000K | >0.9 | 120 x 32 | 106 x 106 | 80 | 120 | 950.00 | 40 |
| GM 0308 | 12 | 6500K | >0.9 | 120 x 32 | 106 x 106 | 80 | 120 | 950.00 | 40 |



LUMINO - 18 Watt Down Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0313 | 18 | 3000K | >0.9 | 170 x 32 | 158 x 158 | 80 | 120 | 1340.00 | 30 |
| GM 0312 | 18 | 4000K | >0.9 | 170 x 32 | 158 x 158 | 80 | 120 | 1340.00 | 30 |
| GM 0311 | 18 | 6500K | >0.9 | 170 x 32 | 158 x 158 | 80 | 120 | 1340.00 | 30 |



LUMINO - 24 Watt Down Light - Square

| | | | | | | | | | |
|---------|----|-------|------|----------|-----------|----|-----|---------|----|
| GM 0316 | 24 | 3000K | >0.9 | 225 x 32 | 208 x 208 | 80 | 120 | 1840.00 | 20 |
| GM 0315 | 24 | 4000K | >0.9 | 225 x 32 | 208 x 208 | 80 | 120 | 1840.00 | 20 |
| GM 0314 | 24 | 6500K | >0.9 | 225 x 32 | 208 x 208 | 80 | 120 | 1840.00 | 20 |



All dimensions in mm





TABLA

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| TABLA - 8 Watt Down Light - Round | | | | | | | | | |
| GM 0451 | 8 | 3000K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |
| GM 0450 | 8 | 4000K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |
| GM 0449 | 8 | 6500K | >0.9 | 120 x 27 | 109 | 80 | 110 | 660.00 | 30 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| TABLA - 15 Watt Down Light - Round | | | | | | | | | |
| GM 0454 | 15 | 3000K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |
| GM 0453 | 15 | 4000K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |
| GM 0452 | 15 | 6500K | >0.9 | 172 x 27 | 159 | 80 | 110 | 1060.00 | 20 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| TABLA - 22 Watt Down Light - Round | | | | | | | | | |
| GM 0457 | 22 | 3000K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |
| GM 0456 | 22 | 4000K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |
| GM 0455 | 22 | 6500K | >0.9 | 227 x 27 | 215 | 80 | 110 | 1620.00 | 20 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| TABLA - 8 Watt Down Light - Square | | | | | | | | | |
| GM 0463 | 8 | 3000K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |
| GM 0462 | 8 | 4000K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |
| GM 0461 | 8 | 6500K | >0.9 | 120 x 27 | 109 x 109 | 80 | 110 | 660.00 | 30 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| TABLA - 15 Watt Down Light - Square | | | | | | | | | |
| GM 0466 | 15 | 3000K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |
| GM 0465 | 15 | 4000K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |
| GM 0464 | 15 | 6500K | >0.9 | 172 x 27 | 159 x 159 | 80 | 110 | 1060.00 | 20 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| TABLA - 22 Watt Down Light - Square | | | | | | | | | |
| GM 0469 | 22 | 3000K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |
| GM 0468 | 22 | 4000K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |
| GM 0467 | 22 | 6500K | >0.9 | 227 x 27 | 215 x 215 | 80 | 110 | 1620.00 | 20 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

Better stability and RELIABILITY



FIESTA COB SPOT LIGHT

The LED innovation gives you the technological novelty of COB LED lights. The Multi-LED chips are clubbed together as one lighting module. This Chip-on-Board type of LED produces a high luminous flux directed towards the surface of the object to be lit. The Fiesta COB Spot Lights have a better life, stability and reliability.

Fiesta LED
Mini COB Spot Light



FIESTA

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 1 Watt Mini COB Spot Light - Round | | | | | | | | | |
| GM 0205 | 1 | 3000K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0204 | 1 | 4000K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0203 | 1 | 6500K | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0848 | 1 | RED | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0849 | 1 | GREEN | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |
| GM 0850 | 1 | BLUE | >0.5 | 32 x 25 | 25 | 80 | 60 | 290.00 | 200 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 3 Watt Mini COB Spot Light - Round | | | | | | | | | |
| GM 0214 | 3 | 3000K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0213 | 3 | 4000K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0212 | 3 | 6500K | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0854 | 3 | RED | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0855 | 3 | GREEN | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |
| GM 0856 | 3 | BLUE | >0.5 | 40 x 28 | 35 | 80 | 60 | 500.00 | 200 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 1 Watt Mini COB Spot Light - Square | | | | | | | | | |
| GM 0208 | 1 | 3000K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0207 | 1 | 4000K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0206 | 1 | 6500K | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0851 | 1 | RED | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0852 | 1 | GREEN | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |
| GM 0853 | 1 | BLUE | >0.5 | 30 x 25 | 25 x 25 | 80 | 60 | 290.00 | 200 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 3 Watt Mini COB Spot Light - Square | | | | | | | | | |
| GM 0211 | 3 | 3000K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0210 | 3 | 4000K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0209 | 3 | 6500K | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0857 | 3 | RED | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0858 | 3 | GREEN | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |
| GM 0859 | 3 | BLUE | >0.5 | 36 x 28 | 35 x 35 | 80 | 60 | 500.00 | 200 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 3 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0184 | 3 | 3000K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |
| GM 0183 | 3 | 4000K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |
| GM 0182 | 3 | 6500K | >0.5 | 63 x 50 | 55 | 80 | 24 | 520.00 | 30 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| FIESTA - 5 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0187 | 5 | 3000K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |
| GM 0186 | 5 | 4000K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |
| GM 0185 | 5 | 6500K | >0.5 | 85 x 65 | 70 | 80 | 24 | 820.00 | 30 |

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|
|-----------|-------|----------|----|-----------|----------|-----|-------|-------|------|

FIESTA - 10 Watt COB Spot Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|----|----|----|---------|----|
| GM 0190 | 10 | 3000K | >0.5 | 106 x 60 | 90 | 80 | 24 | 1130.00 | 30 |
| GM 0189 | 10 | 4000K | >0.5 | 106 x 60 | 90 | 80 | 24 | 1130.00 | 30 |
| GM 0188 | 10 | 6500K | >0.5 | 106 x 60 | 90 | 80 | 24 | 1130.00 | 30 |



FIESTA - 15 Watt COB Spot Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|----|----|----|---------|----|
| GM 0193 | 15 | 3000K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |
| GM 0192 | 15 | 4000K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |
| GM 0191 | 15 | 6500K | >0.9 | 106 x 60 | 90 | 80 | 24 | 1420.00 | 30 |



FIESTA - 20 Watt COB Spot Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|-----|----|----|---------|----|
| GM 0196 | 20 | 3000K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |
| GM 0195 | 20 | 4000K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |
| GM 0194 | 20 | 6500K | >0.9 | 127 x 85 | 115 | 80 | 24 | 2130.00 | 20 |



FIESTA - 25 Watt COB Spot Light - Round

| | | | | | | | | | |
|---------|----|-------|------|-----------|-----|----|----|---------|----|
| GM 0199 | 25 | 3000K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |
| GM 0198 | 25 | 4000K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |
| GM 0197 | 25 | 6500K | >0.9 | 127 x 105 | 115 | 80 | 24 | 2650.00 | 20 |



FIESTA - 30 Watt COB Spot Light - Round

| | | | | | | | | | |
|---------|----|-------|------|-----------|-----|----|----|---------|----|
| GM 0202 | 30 | 3000K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |
| GM 0201 | 30 | 4000K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |
| GM 0200 | 30 | 6500K | >0.9 | 150 x 105 | 130 | 80 | 24 | 3360.00 | 20 |



TROY

TROY - 10 Watt Trimless COB Spot Light Light - Round

| | | | | | | | | | |
|---------|----|-------|------|---------|----|----|----|---------|----|
| GM 0584 | 10 | 3000K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |
| GM 0585 | 10 | 4000K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |
| GM 0586 | 10 | 5300K | >0.9 | 70 x 92 | 70 | 80 | 24 | 1280.00 | 50 |



TROY - 15 Watt Trimless COB Spot Light Light - Round

| | | | | | | | | | |
|---------|----|-------|------|----------|----|----|----|---------|----|
| GM 0587 | 15 | 3000K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |
| GM 0588 | 15 | 4000K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |
| GM 0589 | 15 | 5300K | >0.9 | 84 x 102 | 84 | 80 | 24 | 1790.00 | 20 |



TROY - 20 Watt Trimless COB Spot Light Light - Round

| | | | | | | | | | |
|---------|----|-------|------|-----------|-----|----|----|---------|----|
| GM 0590 | 20 | 3000K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |
| GM 0591 | 20 | 4000K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |
| GM 0592 | 20 | 5300K | >0.9 | 110 x 117 | 110 | 80 | 24 | 2480.00 | 20 |



All dimensions in mm





CROY

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| CROY - 7 Watt Trimless COB Down Light | | | | | | | | | |
| GM 0860 | 7 | 3000K | >0.9 | 83 X 81.5 | 75 | 80 | 24 | 710.00 | 50 |
| GM 0861 | 7 | 4000K | >0.9 | 83 X 81.5 | 75 | 80 | 24 | 710.00 | 50 |
| GM 0862 | 7 | 6000K | >0.9 | 83 X 81.5 | 75 | 80 | 24 | 710.00 | 50 |



| | | | | | | | | | |
|---|----|-------|------|-----------|----|----|----|--------|----|
| CROY - 12 Watt Trimless COB Down Light | | | | | | | | | |
| GM 0863 | 12 | 3000K | >0.9 | 93 X 94.5 | 85 | 80 | 38 | 910.00 | 48 |
| GM 0864 | 12 | 4000K | >0.9 | 93 X 94.5 | 85 | 80 | 38 | 910.00 | 48 |
| GM 0865 | 12 | 6000K | >0.9 | 93 X 94.5 | 85 | 80 | 38 | 910.00 | 48 |



G90

| | | | | | | | | | |
|--|---|-------|------|---------|----|----|----|--------|-----|
| G90 - 3 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0830 | 3 | 3000K | >0.5 | 55 x 20 | 45 | 80 | 24 | 350.00 | 120 |
| GM 0831 | 3 | 4000K | >0.5 | 55 x 20 | 45 | 80 | 24 | 350.00 | 120 |
| GM 0832 | 3 | 6000K | >0.5 | 35 x 20 | 45 | 80 | 24 | 350.00 | 120 |



| | | | | | | | | | |
|--|---|-------|------|---------|----|----|----|--------|----|
| G90 - 6 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0833 | 6 | 3000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |
| GM 0834 | 6 | 4000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |
| GM 0835 | 6 | 6000K | >0.9 | 85 x 30 | 75 | 80 | 24 | 570.00 | 80 |



| | | | | | | | | | |
|---|----|-------|------|----------|-----|----|----|--------|----|
| G90 - 12 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0836 | 12 | 3000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |
| GM 0837 | 12 | 4000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |
| GM 0838 | 12 | 6000K | >0.9 | 125 x 30 | 110 | 80 | 24 | 890.00 | 60 |



| | | | | | | | | | |
|---|---|-------|------|---------|---------|----|----|--------|-----|
| G90 - 3 Watt COB Spot Light - Square | | | | | | | | | |
| GM 0839 | 3 | 3000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |
| GM 0840 | 3 | 4000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |
| GM 0841 | 3 | 6000K | >0.5 | 55 x 55 | 45 x 45 | 80 | 24 | 350.00 | 120 |



| | | | | | | | | | |
|---|---|-------|------|---------|---------|----|----|--------|----|
| G90 - 6 Watt COB Spot Light - Square | | | | | | | | | |
| GM 0842 | 6 | 3000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |
| GM 0843 | 6 | 4000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |
| GM 0844 | 6 | 6000K | >0.9 | 85 x 85 | 75 x 75 | 80 | 24 | 570.00 | 80 |



| | | | | | | | | | |
|--|----|-------|------|-----------|-----------|----|----|--------|----|
| G90 - 12 Watt COB Spot Light - Square | | | | | | | | | |
| GM 0845 | 12 | 3000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |
| GM 0846 | 12 | 4000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |
| GM 0847 | 12 | 6000K | >0.9 | 125 x 125 | 110 x 110 | 80 | 24 | 890.00 | 60 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

AXIUS

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|--------|------|
| AXIUS - 3 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0337 | 3 | 3000K | >0.5 | 64 x 45 | 52 | 80 | 35 | 650.00 | 80 |
| GM 0336 | 3 | 4000K | >0.5 | 64 x 45 | 52 | 80 | 35 | 650.00 | 80 |
| GM 0335 | 3 | 5700K | >0.5 | 64 x 45 | 52 | 80 | 35 | 650.00 | 80 |



| | | | | | | | | | |
|--|---|-------|------|---------|----|----|----|---------|----|
| AXIUS - 6 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0340 | 6 | 3000K | >0.5 | 75 x 60 | 65 | 80 | 35 | 1130.00 | 60 |
| GM 0339 | 6 | 4000K | >0.5 | 75 x 60 | 65 | 80 | 35 | 1130.00 | 60 |
| GM 0338 | 6 | 5700K | >0.5 | 75 x 60 | 65 | 80 | 35 | 1130.00 | 60 |



| | | | | | | | | | |
|---|----|-------|------|---------|----|----|----|---------|----|
| AXIUS - 12 Watt COB Spot Light - Round | | | | | | | | | |
| GM 0343 | 12 | 3000K | >0.9 | 85 x 82 | 75 | 80 | 35 | 1570.00 | 36 |
| GM 0342 | 12 | 4000K | >0.9 | 85 x 82 | 75 | 80 | 35 | 1570.00 | 36 |
| GM 0341 | 12 | 5700K | >0.9 | 85 x 82 | 75 | 80 | 35 | 1570.00 | 36 |



COSMO

| | | | | | | | | | |
|--|---|-------|------|---------|----|----|----|---------|----|
| COSMO - 5 Watt Down Light - Round | | | | | | | | | |
| COS-5-3K | 5 | 3000K | >0.9 | 70 x 55 | 45 | 80 | 38 | 1210.00 | 50 |
| COS-5-4K | 5 | 4000K | >0.9 | 70 x 55 | 45 | 80 | 38 | 1210.00 | 50 |
| COS-5-6.5K | 5 | 6500K | >0.9 | 70 x 55 | 45 | 80 | 38 | 1210.00 | 50 |
| COS-5-3in1 | 5 | 3in1 | >0.9 | 70 x 55 | 45 | 80 | 38 | 1490.00 | 50 |



| | | | | | | | | | |
|--|---|-------|------|---------|----|----|----|---------|----|
| COSMO - 7 Watt Down Light - Round | | | | | | | | | |
| COS-7-3K | 7 | 3000K | >0.9 | 90 x 60 | 65 | 80 | 38 | 1630.00 | 50 |
| COS-7-4K | 7 | 4000K | >0.9 | 90 x 60 | 65 | 80 | 38 | 1630.00 | 50 |
| COS-7-6.5K | 7 | 6500K | >0.9 | 90 x 60 | 65 | 80 | 38 | 1630.00 | 50 |
| COS-7-3in1 | 7 | 3in1 | >0.9 | 90 x 60 | 65 | 80 | 38 | 1990.00 | 50 |



STALO

| | | | | | | | | | |
|-----------------------------------|----|-------|------|----------|----|----|-----|--------|----|
| STALO - 10 Watt Down Light | | | | | | | | | |
| STA-10-3K-RC-RD | 10 | 3000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |
| STA-10-4K-RC-RD | 10 | 4000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |
| STA-10-6K-RC-RD | 10 | 6000K | >0.9 | 110 x 30 | 75 | 80 | 120 | 670.00 | 40 |



| | | | | | | | | | |
|-----------------------------------|----|-------|------|----------|-----|----|-----|--------|----|
| STALO - 15 Watt Down Light | | | | | | | | | |
| STA-15-3K-RC-RD | 15 | 3000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |
| STA-15-4K-RC-RD | 15 | 4000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |
| STA-15-6K-RC-RD | 15 | 6000K | >0.9 | 145 x 30 | 125 | 80 | 120 | 870.00 | 40 |



| | | | | | | | | | |
|-----------------------------------|----|-------|------|----------|-----|----|-----|---------|----|
| STALO - 20 Watt Down Light | | | | | | | | | |
| STA-20-3K-RC-RD | 20 | 3000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |
| STA-20-4K-RC-RD | 20 | 4000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |
| STA-20-6K-RC-RD | 20 | 6000K | >0.9 | 170 x 30 | 150 | 80 | 120 | 1100.00 | 20 |



All dimensions in mm





ORBIS

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ORBIS - 12 Watt COB Down Light - Round | | | | | | | | | |
| GM 0349 | 12 | 3000K | >0.9 | 105 x 99 | 90 | 80 | 50 | 1950.00 | 18 |
| GM 0348 | 12 | 4000K | >0.9 | 105 x 99 | 90 | 80 | 50 | 1950.00 | 18 |
| GM 0347 | 12 | 5700K | >0.9 | 105 x 99 | 90 | 80 | 50 | 1950.00 | 18 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ORBIS - 22 Watt COB Down Light - Round | | | | | | | | | |
| GM 0352 | 22 | 3000K | >0.9 | 140 x 130 | 125 | 80 | 50 | 2990.00 | 12 |
| GM 0351 | 22 | 4000K | >0.9 | 140 x 130 | 125 | 80 | 50 | 2990.00 | 12 |
| GM 0350 | 22 | 5700K | >0.9 | 140 x 130 | 125 | 80 | 50 | 2990.00 | 12 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ORBIS - 30 Watt COB Down Light - Round | | | | | | | | | |
| GM 0355 | 30 | 3000K | >0.9 | 205 x 145 | 185 | 80 | 50 | 5100.00 | 4 |
| GM 0354 | 30 | 4000K | >0.9 | 205 x 145 | 185 | 80 | 50 | 5100.00 | 4 |
| GM 0353 | 30 | 5700K | >0.9 | 205 x 145 | 185 | 80 | 50 | 5100.00 | 4 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ORBIS - 45 Watt COB Down Light - Round | | | | | | | | | |
| GM 0358 | 45 | 3000K | >0.9 | 240 x 173 | 215 | 80 | 50 | 6600.00 | 4 |
| GM 0357 | 45 | 4000K | >0.9 | 240 x 173 | 215 | 80 | 50 | 6600.00 | 4 |
| GM 0356 | 45 | 5700K | >0.9 | 240 x 173 | 215 | 80 | 50 | 6600.00 | 4 |



ZOOM

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ZOOM - 12 Watt COB Trunk Spot Light - Round | | | | | | | | | |
| GM 0344 | 12 | 3000K | >0.9 | 120 x 94 | 105 | 80 | 35 | 1950.00 | 18 |
| GM 0325 | 12 | 4000K | >0.9 | 120 x 94 | 105 | 80 | 35 | 1950.00 | 18 |
| GM 0324 | 12 | 5700K | >0.9 | 120 x 94 | 105 | 80 | 35 | 1950.00 | 18 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ZOOM - 22 Watt COB Trunk Spot Light - Round | | | | | | | | | |
| GM 0345 | 22 | 3000K | >0.9 | 145 x 119 | 130 | 80 | 35 | 3260.00 | 12 |
| GM 0327 | 22 | 4000K | >0.9 | 145 x 119 | 130 | 80 | 35 | 3260.00 | 12 |
| GM 0326 | 22 | 5700K | >0.9 | 145 x 119 | 130 | 80 | 35 | 3260.00 | 12 |



| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ZOOM - 30 Watt COB Trunk Spot Light - Round | | | | | | | | | |
| GM 0346 | 30 | 3000K | >0.9 | 170 x 148 | 150 | 80 | 35 | 4320.00 | 12 |
| GM 0329 | 30 | 4000K | >0.9 | 170 x 148 | 150 | 80 | 35 | 4320.00 | 12 |
| GM 0328 | 30 | 5700K | >0.9 | 170 x 148 | 150 | 80 | 35 | 4320.00 | 12 |



ILLUMINATING INTELLIGENTLY




BIS APPROVED

All dimensions in mm

LIGHT IS LIFE

ARA

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT. DIA. | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|-----------|-----------|-----|-------|---------|------|
| ARA - 9 Watt Ceiling Down Light | | | | | | | | | |
| GM 0599 | 9 | 3000K | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |
| GM 0600 | 9 | BLUE | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |
| GM 0601 | 9 | PURPLE | >0.9 | 100 x 30 | 85 | 80 | 120 | 1475.00 | 30 |



DOME

| | | | | | | | | | |
|---------------------------------|---|-------|------|-----------|---|----|----|---------|----|
| DOME - 7 Watt Wall Light | | | | | | | | | |
| GM 0423 | 7 | 3000K | >0.9 | 105 x 123 | - | 80 | 36 | 1900.00 | 30 |



| | | | | | | | | | |
|------------------------------------|---|-------|------|-----------|---|----|----|---------|----|
| DOME - 7 Watt Pendant Light | | | | | | | | | |
| GM 0424 | 7 | 3000K | >0.9 | 92 x 1200 | - | 80 | 36 | 1950.00 | 30 |



CHAPPIE

| | | | | | | | | | |
|--|---|-------|------|-----------|----|----|----|---------|----|
| CHAPPIE - 5 Watt Ceiling Down Light | | | | | | | | | |
| GM 0914 | 5 | 3000K | >0.9 | 74 x 63.5 | 68 | 80 | 45 | 1050.00 | 40 |
| GM 0915 | 5 | 4000K | >0.9 | 74 x 63.5 | 68 | 80 | 45 | 1050.00 | 40 |



| | | | | | | | | | |
|---|-------|-------|------|----------|-----|----|----|---------|----|
| CHAPPIE - 10 Watt Ceiling Down Light | | | | | | | | | |
| GM 0916 | 2 x 5 | 3000K | >0.9 | 104 x 64 | 100 | 80 | 45 | 1650.00 | 30 |
| GM 0917 | 2 x 5 | 4000K | >0.9 | 104 x 64 | 100 | 80 | 45 | 1650.00 | 30 |



All dimensions in mm







Giving a **fresh** new
dimension to the exterior



Introducing  Bulkhead Light



| ITEM CODE | POWER | COLTEMP | PF | DIMENSION | IP | CUT. DIA. | CRI | ANGLE | MRP₹ | PKG. |
|---|-------|---------|------|--------------|------|-----------|-----|-------|--------|------|
| GM-FL - 2 Watt Foot Light - 01 - White | | | | | | | | | | |
| GM-FL-2-3K-IP20-01-W | 2 | 3000K | >0.9 | 90 x 90 x 43 | IP20 | 86 x 86 | 80 | 30 | 750.00 | 50 |



| | | | | | | | | | | |
|---|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL - 2 Watt Foot Light - 01 - Black | | | | | | | | | | |
| GM-FL-2-3K-IP20-01-B | 2 | 3000K | >0.9 | 90 x 90 x 43 | IP20 | 86 x 86 | 80 | 30 | 750.00 | 50 |



| | | | | | | | | | | |
|---|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL - 2 Watt Foot Light - 02 - White | | | | | | | | | | |
| GM-FL-2-3K-IP65-02-W | 2 | 3000K | >0.9 | 85 x 85 x 53 | IP65 | 74 x 74 | 80 | 30 | 950.00 | 50 |



| | | | | | | | | | | |
|---|---|-------|------|--------------|------|---------|----|----|--------|----|
| GM-FL - 2 Watt Foot Light - 02 - Black | | | | | | | | | | |
| GM-FL-2-3K-IP65-02-B | 2 | 3000K | >0.9 | 85 x 85 x 53 | IP65 | 74 x 74 | 80 | 30 | 950.00 | 50 |



| | | | | | | | | | | |
|---|---|-------|------|------------|------|----------|----|----|---------|----|
| GM-FL - 5 Watt Foot Light - 03 - Black | | | | | | | | | | |
| GM-FL-5-3K-IP65-03-B | 5 | 3000K | >0.9 | 170x175x53 | IP65 | 161 x 71 | 80 | 30 | 1350.00 | 30 |



| BLK-01 - 10 Watt Bulkhead Light - IP65 - White | | | | | | | | | | |
|---|----|-------|------|-----------|------|---|----|-----|---------|----|
| BLK-10-3K-IP65-01-W | 10 | 3000K | >0.9 | 207X98X60 | IP65 | - | 80 | 130 | 1200.00 | 50 |
| BLK-10-6K-IP65-01-W | 10 | 6000K | >0.9 | 207X98X60 | IP65 | - | 80 | 130 | 1200.00 | 50 |



| | | | | | | | | | | |
|---|----|-------|------|------------|------|---|----|-----|---------|----|
| BLK-01 - 18 Watt Bulkhead Light - IP65 - White | | | | | | | | | | |
| BLK-18-3K-IP65-01-W | 18 | 3000K | >0.9 | 263X135X68 | IP65 | - | 80 | 130 | 2100.00 | 40 |
| BLK-18-6K-IP65-01-W | 18 | 6000K | >0.9 | 263X135X68 | IP65 | - | 80 | 130 | 2100.00 | 40 |



| BLK-02 - 12 Watt Bulkhead Light - IP65 - White | | | | | | | | | | |
|---|----|-------|------|----------|------|---|----|-----|---------|----|
| BLK-12-3K-IP65-02-W | 12 | 3000K | >0.9 | 180 X 75 | IP65 | - | 80 | 130 | 1200.00 | 40 |
| BLK-12-6K-IP65-02-W | 12 | 6000K | >0.9 | 180 X 75 | IP65 | - | 80 | 130 | 1200.00 | 40 |



| | | | | | | | | | | |
|---|----|-------|------|----------|------|---|----|-----|---------|----|
| BLK-02 - 18 Watt Bulkhead Light - IP65 - White | | | | | | | | | | |
| BLK-18-3K-IP65-02-W | 18 | 3000K | >0.9 | 235 X 75 | IP65 | - | 80 | 130 | 2100.00 | 20 |
| BLK-18-6K-IP65-02-W | 18 | 6000K | >0.9 | 235 X 75 | IP65 | - | 80 | 130 | 2100.00 | 20 |



ILLUMINATING INTELLIGENTLY



BIS APPROVED

All dimensions in mm

LIGHT IS LIFE

GM-WL

ITEM CODE | POWER | COLTEMP | PF | DIMENSION | IP | CUT.DIA. | CRI | ANGLE | MRP₹ | PKG.

GM-WL-01 - 10 Watt Wall Light - IP65 - Black

GM-WL-5+5-3K-IP65-01-B | 10 | 3000K | >0.9 | 184x109x33 | IP65 | - | 80 | - | 2300.00 | 40

GM-WL-02 - 12 Watt Wall Light - IP65 - Black

GM-WL-12-3K-IP65-02-B | 12 | 3000K | >0.9 | 150 x 30 | IP65 | - | 80 | - | 2400.00 | 40

GM-WL-03 - 7 Watt Wall Light - IP65 - Black

GM-WL-7-3K-IP65-03-B | 7 | 3000K | >0.9 | 150 x 30 | IP65 | - | 80 | - | 2100.00 | 40

GM-GL

GM-GL-01 - 12 Watt Garden Light

GM-GL-12-3K-01 | 12 | 3000K | >0.9 | 60 X 105 | IP65 | - | 80 | 24 | 1500.00 | 30

GM-GL-01 - 18 Watt Garden Light

GM-GL-18-3K-01 | 18 | 3000K | >0.9 | 80 X 135 | IP65 | - | 80 | 24 | 1900.00 | 20



All dimensions in mm

SLEEK design

LED T5 TUBE LIGHTS

Introducing the unique LED Wall light with heat sink design. The LED wall lights are slim in form and are available in multiple sizes. The lights leave no dark spaces in illumination and are far better than the conventional fluorescent battens.



1 CENTILO - 18W

4 LUCIA - 18W

2 EXORA - 18W

5 NEBULUS - 18W

3 ORIUS - 18W

6 CIELO - 22W

7 ASTRO - 22W

8 LUXON - 36W
(Aluminium Profile)

9 DUOS - 36+1W

10 SENSEON - 36W
(Motion Sensor-Aluminium Profile)

6


7

8

9

10



| | ITEM CODE | POWER | COL.TEMP | LUMENS | PF | DIMENSION | CRI | MRP ₹ | PKG. |
|--|-------------------------------------|-------|----------|--------|------|-----------|-----|--------|------|
|  | CENTILO - 18 Watt Tube Light | | | | | | | | |
| | GM 0100 | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0101 | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0102 | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
|  | CENTILO - 9 Watt Tube Light | | | | | | | | |
| | GM 0103 | 9 | 6500K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0104 | 9 | 4000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0105 | 9 | 3000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
|  | CENTILO - 5 Watt Tube Light | | | | | | | | |
| | GM 0106 | 5 | 6500K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0107 | 5 | 4000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0108 | 5 | 3000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
|  | EXORA - 18 Watt Tube Light | | | | | | | | |
| | GM 0109 | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0110 | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0111 | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
|  | EXORA - 9 Watt Tube Light | | | | | | | | |
| | GM 0112 | 9 | 6500K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0113 | 9 | 4000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0114 | 9 | 3000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
|  | EXORA - 5 Watt Tube Light | | | | | | | | |
| | GM 0115 | 5 | 6500K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0116 | 5 | 4000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0117 | 5 | 3000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
|  | ORIOUS - 18 Watt Tube Light | | | | | | | | |
| | GM 0118 | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0119 | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| | GM 0120 | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
|  | ORIOUS - 9 Watt Tube Light | | | | | | | | |
| | GM 0121 | 9 | 6500K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0122 | 9 | 4000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| | GM 0123 | 9 | 3000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
|  | ORIOUS - 5 Watt Tube Light | | | | | | | | |
| | GM 0124 | 5 | 6500K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0125 | 5 | 4000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| | GM 0126 | 5 | 3000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

LUCIA

| ITEM CODE | POWER | COL.TEMP | LUMENS | PF | DIMENSION | CRI | MRP ₹ | PKG. |
|-----------|-------|----------|--------|----|-----------|-----|-------|------|
|-----------|-------|----------|--------|----|-----------|-----|-------|------|

LUCIA - 18 Watt Tube Light

| | | | | | | | | |
|---------|----|-------|------|------|-----------|----|--------|----|
| GM 0127 | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0128 | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0129 | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |



LUCIA - 9 Watt Tube Light

| | | | | | | | | |
|---------|---|-------|-----|------|----------|----|--------|----|
| GM 0130 | 9 | 6500K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| GM 0131 | 9 | 4000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| GM 0132 | 9 | 3000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |



LUCIA - 5 Watt Tube Light

| | | | | | | | | |
|---------|---|-------|-----|------|----------|----|--------|----|
| GM 0133 | 5 | 6500K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| GM 0134 | 5 | 4000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| GM 0135 | 5 | 3000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |



NEBULUS

NEBULUS - 18 Watt Tube Light

| | | | | | | | | |
|---------|----|-------|------|------|-----------|----|--------|----|
| GM 0136 | 18 | 6500K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0137 | 18 | 4000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |
| GM 0138 | 18 | 3000K | 1600 | >0.9 | 1200 x 37 | 80 | 500.00 | 25 |



NEBULUS - 9 Watt Tube Light

| | | | | | | | | |
|---------|---|-------|-----|------|----------|----|--------|----|
| GM 0139 | 9 | 6500K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| GM 0140 | 9 | 4000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |
| GM 0141 | 9 | 3000K | 800 | >0.9 | 600 x 37 | 80 | 400.00 | 25 |



NEBULUS - 5 Watt Tube Light

| | | | | | | | | |
|---------|---|-------|-----|------|----------|----|--------|----|
| GM 0142 | 5 | 6500K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| GM 0143 | 5 | 4000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |
| GM 0144 | 5 | 3000K | 450 | >0.9 | 300 x 37 | 80 | 300.00 | 25 |



CIELO

CIELO - 22 Watt Tube Light

| | | | | | | | | |
|---------|----|-------|------|------|-----------|----|--------|----|
| GM 0395 | 22 | 6500K | 2200 | >0.9 | 1160 X 32 | 80 | 525.00 | 25 |
|---------|----|-------|------|------|-----------|----|--------|----|



CIELO - 10 Watt Tube Light

| | | | | | | | | |
|---------|----|-------|------|------|----------|----|--------|----|
| GM 0415 | 10 | 6500K | 1000 | >0.9 | 560 X 32 | 80 | 400.00 | 25 |
|---------|----|-------|------|------|----------|----|--------|----|



CIELO - 5 Watt Tube Light

| | | | | | | | | |
|---------|---|-------|-----|------|----------|----|--------|----|
| GM 0416 | 5 | 6500K | 500 | >0.9 | 300 X 32 | 80 | 300.00 | 25 |
|---------|---|-------|-----|------|----------|----|--------|----|



All dimensions in mm



| | ITEM CODE | POWER | COL.TEMP | LUMENS | PF | DIMENSION | CRI | MRP₹ | PKG. | |
|--|---|-------|----------|--------|------|-----------|-----|---------|------|--|
|  | ATMOS - 22 Watt Tube Light | | | | | | | | | |
| | GM 0378 | 22 | 6500K | 2200 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 | |
| | GM 0379 | 22 | 4000K | 2000 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 | |
| | GM 0392 | 22 | 3000K | 1900 | >0.9 | 1190 x 37 | 80 | 550.00 | 25 | |
|  | ASTRO - 22 Watt Tube Light | | | | | | | | | |
| | GM 0396 | 22 | 6500K | 2200 | >0.9 | 1200 X 33 | 80 | 550.00 | 25 | |
|  | LUXON - 36 Watt Tube Light (Aluminium) | | | | | | | | | |
| | GM 0393 | 36 | 6500K | 3600 | >0.9 | 1200 X 37 | 80 | 880.00 | 25 | |
|  | SENSE - 36 Watt Tube Light (Aluminium) | | | | | | | | | |
| | GM 0398 | 36 | 6500K | 3600 | >0.9 | 1200 X 84 | 80 | 1070.00 | 10 | |
|  | SENSEON - 36 Watt Tube Light with PIR Sensor (Aluminium) | | | | | | | | | |
| | GM 0399 | 36 | 6500K | 3600 | >0.9 | 1200 X 84 | 80 | 1600.00 | 10 | |
|  | DUOS - 36+1 Watt T8 LED Wall Light | | | | | | | | | |
| | GM 0394 | 36+1 | 6500K | 3600 | >0.9 | 1250 X 43 | 80 | 950.00 | 25 | |
| <i>* Inter-changeable color end caps</i> | | | | | | | | | | |
|  | STRATO - 20 Watt Tube Light | | | | | | | | | |
| | GM 0397 | 20 | 6500K | 2000 | >0.9 | 1135 X 37 | 80 | 530.00 | 25 | |
| | GM 0906 | 20 | 4000K | 2000 | >0.9 | 1135 X 37 | 80 | 530.00 | 25 | |
| | GM 0907 | 20 | 3000K | 2000 | >0.9 | 1135 X 37 | 80 | 530.00 | 25 | |
|  | STRATO - 12 Watt Tube Light | | | | | | | | | |
| | GM 0908 | 12 | 6500K | 1200 | >0.9 | 598 X 37 | 80 | 360.00 | 25 | |
| | GM 0909 | 12 | 4000K | 1200 | >0.9 | 598 X 37 | 80 | 360.00 | 25 | |
| | GM 0910 | 12 | 3000K | 1200 | >0.9 | 598 X 37 | 80 | 360.00 | 25 | |
|  | STRATO - 8 Watt Tube Light | | | | | | | | | |
| | GM 0911 | 8 | 6500K | 800 | >0.9 | 304 X 37 | 80 | 260.00 | 25 | |
| | GM 0912 | 8 | 4000K | 800 | >0.9 | 304 X 37 | 80 | 260.00 | 25 | |
| | GM 0913 | 8 | 3000K | 800 | >0.9 | 304 X 37 | 80 | 260.00 | 25 | |
|  | AURA - 22 Watt Tube Light | | | | | | | | | |
| | GM 0413 | 22 | 3in1 | 2200 | >0.9 | 1200 X 37 | 80 | 680.00 | 25 | |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BSI APPROVED

LIGHT IS LIFE

Switch on the good mood



LED BULBS AND CHANDELIER LIGHTS
Regardless of what your mood is, set it right with a decent lighting starting from attractive bulbs to mesmerizing chandeliers and more, and spread the great vibe.


Excellent
CRI

100
Lumens
per Watt

86%
Saving

25000*
Hrs



CHANDELIER LIGHTS

| ITEM CODE | POWER | COL.TEMP | DIMENSION | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|-----------|-------|-------|------|
|-----------|-------|----------|-----------|-------|-------|------|

G-LUX Q18 LED - 4 Watt Non Dimmable - Diamond Light - E 14

| | | | | | | |
|--------------|---|-------|------------|-----|--------|----|
| Q18-G-4-3K-N | 4 | 3000K | 35.5 x 135 | 320 | 620.00 | 60 |
| Q18-S-4-3K-N | 4 | 3000K | 35.5 x 135 | 320 | 620.00 | 60 |

G-LUX Q33 LED - 3.5 Watt Non Dimmable - Diamond Light - E 14

| | | | | | | |
|----------------|-----|-------|------------|-----|--------|----|
| Q33-G-3.5-3K-N | 3.5 | 3000K | 35.5 x 135 | 320 | 445.00 | 60 |
| Q33-S-3.5-3K-N | 3.5 | 3000K | 35.5 x 135 | 320 | 445.00 | 60 |

G-LUX Q68 LED - 4.5 Watt Non Dimmable - Diamond Light - E 14

| | | | | | | |
|----------------|-----|-------|----------|-----|--------|----|
| Q68-G-4.5-3K-N | 4.5 | 3000K | 35 x 117 | 300 | 710.00 | 60 |
| Q68-S-4.5-3K-N | 4.5 | 3000K | 35 x 117 | 300 | 710.00 | 60 |

G-LUX Q88 LED - 4.5 Watt Non Dimmable - Diamond Light - E 14

| | | | | | | |
|----------------|-----|-------|------------|-----|--------|----|
| Q88-G-4.5-3K-N | 4.5 | 3000K | 35.5 x 135 | 320 | 640.00 | 60 |
| Q88-S-4.5-3K-N | 4.5 | 3000K | 35.5 x 135 | 320 | 640.00 | 60 |

G-LUX Q100 LED - 4.5 Watt Non Dimmable - Diamond Light - E 14

| | | | | | | |
|-----------------|-----|-------|------------|-----|--------|----|
| Q100-G-4.5-3K-N | 4.5 | 3000K | 35.5 x 135 | 320 | 640.00 | 60 |
| Q100-S-4.5-3K-N | 4.5 | 3000K | 35.5 x 135 | 320 | 640.00 | 60 |

G-LUX Q8 LED - 5 Watt Non Dimmable - Rock Light - E 27

| | | | | | | |
|-------------|---|-------|-------------|-----|--------|----|
| Q8-S-5-3K-N | 5 | 3000K | 38.5 x 85.5 | 300 | 710.00 | 60 |
|-------------|---|-------|-------------|-----|--------|----|

G-LUX Q9 LED - 8 Watt Non Dimmable - Rock Light - E 27

| | | | | | | |
|-------------|---|-------|------------|-----|--------|----|
| Q9-S-8-3K-N | 8 | 3000K | 40.5 x 109 | 300 | 870.00 | 60 |
|-------------|---|-------|------------|-----|--------|----|

EVO

EVO - 0.5 Watt Bulb - B22

| | | | | | | |
|------------------|-----|--------|---------|-----|-------|-----|
| GM 0729 - RED | 0.5 | RED | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - GREEN | 0.5 | GREEN | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - BLUE | 0.5 | BLUE | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - YELLOW | 0.5 | YELLOW | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - WHITE | 0.5 | WHITE | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - ORANGE | 0.5 | ORANGE | 45 x 67 | 240 | 55.00 | 100 |
| GM 0729 - PINK | 0.5 | PINK | 45 x 67 | 240 | 55.00 | 100 |

ITEM CODE | POWER | COL.TEMP | DIMENSION | CRI | ANGLE | MRP ₹ | PKG.

EVO - 3 Watt Bulb - B22 / E27

| | | | | | | | |
|-------------|---|-------|---------|----|-----|--------|----|
| GBA-03-3K | 3 | 3000K | >300 lm | 80 | 240 | 125.00 | 50 |
| GBA-03-4K | 3 | 4000K | >300 lm | 80 | 240 | 125.00 | 50 |
| GBA-03-6.5K | 3 | 6500K | >300 lm | 80 | 240 | 125.00 | 50 |



EVO - 5 Watt Bulb - B22 / E27

| | | | | | | | |
|-------------|---|-------|---------|----|-----|--------|----|
| GBA-05-3K | 5 | 3000K | >500 lm | 80 | 240 | 145.00 | 50 |
| GBA-05-4K | 5 | 4000K | >500 lm | 80 | 240 | 145.00 | 50 |
| GBA-05-6.5K | 5 | 6500K | >500 lm | 80 | 240 | 145.00 | 50 |



EVO - 7 Watt Bulb - B22 / E27

| | | | | | | | |
|-------------|---|-------|---------|----|-----|--------|----|
| GBA-07-3K | 7 | 3000K | >700 lm | 80 | 240 | 160.00 | 50 |
| GBA-07-4K | 7 | 4000K | >700 lm | 80 | 240 | 160.00 | 50 |
| GBA-07-6.5K | 7 | 6500K | >700 lm | 80 | 240 | 160.00 | 50 |

EVO - 9 Watt Bulb - B22 / E27

| | | | | | | | |
|-------------|---|-------|---------|----|-----|--------|----|
| GBA-09-3K | 9 | 3000K | >900 lm | 80 | 240 | 175.00 | 50 |
| GBA-09-4K | 9 | 4000K | >900 lm | 80 | 240 | 175.00 | 50 |
| GBA-09-6.5K | 9 | 6500K | >900 lm | 80 | 240 | 175.00 | 50 |



EVO - 12 Watt Bulb - B22 / E27

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBA-12-3K | 12 | 3000K | >1200 lm | 80 | 240 | 270.00 | 50 |
| GBA-12-4K | 12 | 4000K | >1200 lm | 80 | 240 | 270.00 | 50 |
| GBA-12-6.5K | 12 | 6500K | >1200 lm | 80 | 240 | 270.00 | 50 |

EVO - 15 Watt Bulb - B22

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBA-15-3K | 15 | 3000K | >1500 lm | 80 | 240 | 395.00 | 50 |
| GBA-15-4K | 15 | 4000K | >1500 lm | 80 | 240 | 395.00 | 50 |
| GBA-15-6.5K | 15 | 6500K | >1500 lm | 80 | 240 | 395.00 | 50 |



EVO - 18 Watt Bulb - B22

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBA-18-3K | 18 | 3000K | >1800 lm | 80 | 240 | 520.00 | 50 |
| GBA-18-4K | 18 | 4000K | >1800 lm | 80 | 240 | 520.00 | 50 |
| GBA-18-6.5K | 18 | 6500K | >1800 lm | 80 | 240 | 520.00 | 50 |



EVO - 9 Watt Emergency Bulb - B22

| | | | | | | | |
|---------------|---|-------|---------|----|-----|--------|----|
| GBA-9-ER-6.5K | 9 | 6500K | >900 lm | 80 | 180 | 650.00 | 25 |
|---------------|---|-------|---------|----|-----|--------|----|

All dimensions in mm



One Million
colours

ONE
BULB



Presenting
Glitz
Smart
Bluetooth
Bulb



LED LIGHTING
GLITZ
SMART BULB



Bluetooth



800 Lumens



>16 million
colours



App
controlled



Dimmable



Create your
own ambience



Warm to
cool





| ITEM CODE | POWER | COL.TEMP | LUMENS | CRI | ANGLE | MRP ₹ | PKG. |
|---|-------|----------|----------|-----|-------|--------|------|
| EVO CANDLE LAMP | | | | | | | |
| EVO - 5 Watt Candle Lamp - E14 - Clear | | | | | | | |
| GCA-5-3K | 5 | 3000K | >360 lm | 80 | 220 | 250.00 | 100 |
| GCA-5-4K | 5 | 4000K | >380 lm | 80 | 220 | 250.00 | 100 |
| GCA-5-6K | 5 | 6000K | >400 lm | 80 | 220 | 250.00 | 100 |
| EVO - 5 Watt Candle Lamp - E14 - Frosted | | | | | | | |
| GCB-5-3K | 5 | 3000K | >360 lm | 80 | 220 | 250.00 | 100 |
| GCB-5-4K | 5 | 4000K | >380 lm | 80 | 220 | 250.00 | 100 |
| GCB-5-6K | 5 | 6000K | >400 lm | 80 | 220 | 250.00 | 100 |
| GLO | | | | | | | |
| GLO - 3 Watt Bulb - B22 | | | | | | | |
| GBB-03-6.5K | 3 | 6500K | >300 lm | 80 | 180 | 115.00 | 50 |
| GLO - 5 Watt Bulb - B22 | | | | | | | |
| GBB-05-6.5K | 5 | 6500K | >500 lm | 80 | 180 | 130.00 | 50 |
| GLO - 7 Watt Bulb - B22 | | | | | | | |
| GBB-07-6.5K | 7 | 6500K | >700 lm | 80 | 180 | 145.00 | 50 |
| GLO - 9 Watt Bulb - B22 | | | | | | | |
| GBB-09-6.5K | 9 | 6500K | >900 lm | 80 | 180 | 160.00 | 50 |
| GLO - 12 Watt Bulb - B22 | | | | | | | |
| GBB-12-6.5K | 12 | 6500K | >1200 lm | 80 | 180 | 245.00 | 50 |
| GLO - 18 Watt Bulb - B22 | | | | | | | |
| GBB-18-6.5K | 18 | 6500K | >1800 lm | 80 | 180 | 470.00 | 30 |
| BALLET | | | | | | | |
| BALLET - 3 Watt Bulb | | | | | | | |
| GBC-03-6.5K | 3 | 6500K | >300 lm | 80 | 240 | 125.00 | 100 |
| BALLET - 5 Watt Bulb | | | | | | | |
| GBC-05-6.5K | 5 | 6500K | >500 lm | 80 | 240 | 145.00 | 100 |
| BALLET - 7 Watt Bulb | | | | | | | |
| GBC-07-6.5K | 7 | 6500K | >700 lm | 80 | 240 | 160.00 | 100 |
| BALLET - 9 Watt Bulb | | | | | | | |
| GBC-09-6.5K | 9 | 6500K | >900 lm | 80 | 240 | 175.00 | 100 |
| BALLET - 9 Watt Bulb (3in1) | | | | | | | |
| GBC-09-3in1 | 9 | 3in1 | >900 lm | 80 | 240 | 450.00 | 100 |

All dimensions in mm

| ITEM CODE | POWER | COL.TEMP | LUMENS | CRI | ANGLE | MRP ₹ | PKG. |
|-----------|-------|----------|--------|-----|-------|-------|------|
|-----------|-------|----------|--------|-----|-------|-------|------|

BALLET - 9 Watt Bulb (Sensor)

| | | | | | | | |
|----------------|---|-------|---------|----|-----|--------|-----|
| GBC-09-SS-6.5K | 9 | 6500K | >900 lm | 80 | 240 | 500.00 | 100 |
|----------------|---|-------|---------|----|-----|--------|-----|

BALLET - 12 Watt Bulb

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBC-12-6.5K | 12 | 6500K | >1200 lm | 80 | 240 | 270.00 | 50 |
|-------------|----|-------|----------|----|-----|--------|----|

BALLET - 15 Watt Bulb

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBC-15-6.5K | 15 | 6500K | >1500 lm | 80 | 240 | 395.00 | 30 |
|-------------|----|-------|----------|----|-----|--------|----|

BALLET - 18 Watt Bulb

| | | | | | | | |
|-------------|----|-------|----------|----|-----|--------|----|
| GBC-18-6.5K | 18 | 6500K | >1800 lm | 80 | 240 | 520.00 | 50 |
|-------------|----|-------|----------|----|-----|--------|----|

GLITZ

GLITZ - 8 Watt Smart Bluetooth Bulb

| | | | | | | | |
|------------|---|-----|---------|----|-----|---------|----|
| GBZ-08-RGB | 8 | RGB | >800 lm | 80 | 180 | 1299.00 | 25 |
|------------|---|-----|---------|----|-----|---------|----|

INSTA

INSTA - 10 Watt Lamp

| | | | | | | | |
|---------|----|-------|----------|----|-----|--------|----|
| GM 0400 | 10 | 6000K | >1000 lm | 80 | 120 | 280.00 | 24 |
|---------|----|-------|----------|----|-----|--------|----|

EVO ROCKET LAMP

EVO - 26 Watt Rocket Lamp - B22

| | | | | | | | |
|-------------|----|-------|----------|----|-----|---------|----|
| GBR-26-6.5K | 26 | 6500K | >2600 lm | 80 | 230 | 1200.00 | 18 |
| GBR-30-6.5K | 30 | 6500K | >3000 lm | 80 | 230 | 1300.00 | 10 |
| GBR-40-6.5K | 40 | 6500K | >4000 lm | 80 | 230 | 1500.00 | 10 |
| GBR-45-6.5K | 45 | 6500K | >4500 lm | 80 | 230 | 1600.00 | 18 |
| GBR-50-6.5K | 50 | 6500K | >5000 lm | 80 | 230 | 1700.00 | 10 |

EVO HIGHBAY LIGHT

EVO - 105 Watt Highbay Light - Hook Type

| | | | | | | | |
|--------------|-----|-------|-----------|----|-----|---------|---|
| GBH-105-6.5K | 105 | 6500K | >10500 lm | 80 | 110 | 6500.00 | 8 |
|--------------|-----|-------|-----------|----|-----|---------|---|

EVO - 120 Watt Highbay Light - Hook Type

| | | | | | | | |
|--------------|-----|-------|-----------|----|-----|---------|---|
| GBH-120-6.5K | 120 | 6500K | >12000 lm | 80 | 110 | 7900.00 | 8 |
|--------------|-----|-------|-----------|----|-----|---------|---|

EVO - 150 Watt Highbay Light - Hook Type

| | | | | | | | |
|--------------|-----|-------|-----------|----|-----|---------|---|
| GBH-150-6.5K | 150 | 6500K | >15000 lm | 80 | 110 | 9600.00 | 4 |
|--------------|-----|-------|-----------|----|-----|---------|---|

UFO HIGHBAY LIGHT

UFO - 100 Watt Highbay Light - Hook Type

| | | | | | | | |
|------------------|-----|-------|-----------|----|-----|----------|---|
| GBH-UFO-100-6.5K | 100 | 6500K | >10000 lm | 80 | 110 | 10800.00 | 1 |
|------------------|-----|-------|-----------|----|-----|----------|---|

UFO - 150 Watt Highbay Light - Hook Type

| | | | | | | | |
|------------------|-----|-------|-----------|----|-----|----------|---|
| GBH-UFO-150-6.5K | 150 | 6500K | >15000 lm | 80 | 110 | 15500.00 | 1 |
|------------------|-----|-------|-----------|----|-----|----------|---|

UFO - 200 Watt Highbay Light - Hook Type


| | | | | | | | |
|------------------|-----|-------|-----------|----|-----|----------|---|
| GBH-UFO-200-6.5K | 200 | 6500K | >20000 lm | 80 | 110 | 20800.00 | 1 |
|------------------|-----|-------|-----------|----|-----|----------|---|



All dimensions in mm



Reinvent your **FESTIVE** mood



RADION, ZODION, PRODION, ODION & KODION LED STRIP LIGHTS

Strip lights have become a popular idea for festivity and home décor. The LEDs come in durable compact packages that are resistant to shock and can be used in a variety of ways. Available in long strip lengths, they have a protective covering that make them dust and water resistant (IP20/IP44/IP67). LED strips are available in a wide range of single colour as well as multi-colour strips (RGB). Strip LEDs are cost effective and easier to install.



LED STRIP
LIGHTS

RADION
ZODION
PRODION
ODION
KODION





RADION

| ITEM CODE | LED PER MTR | WATT 5 MTR | COL. TEMP | IP RATING | INPUT VOLT. | LUMENS PER LED | LENGTH IN MTR. | MRP ₹ | PKG. |
|---|-------------|------------|-----------|-----------|-------------|----------------|----------------|--------|------|
| RADION - Strip Light - SMD 2835 - IP20 | | | | | | | | | |
| RAD20-2835-7LM-WW | 60 | 20W | 3000K | IP20 | 12V | 7 | 5 | 470.00 | 50 |
| RAD20-2835-7LM-WH | 60 | 20W | 6000K | IP20 | 12V | 7 | 5 | 470.00 | 50 |
| RAD20-2835-7LM-R | 60 | 20W | RED | IP20 | 12V | 7 | 5 | 470.00 | 50 |
| RAD20-2835-7LM-G | 60 | 20W | GREEN | IP20 | 12V | 7 | 5 | 470.00 | 50 |
| RAD20-2835-7LM-B | 60 | 20W | BLUE | IP20 | 12V | 7 | 5 | 470.00 | 50 |



| | | | | | | | | | |
|---|----|-----|-------|------|-----|---|---|--------|----|
| RADION - Strip Light - SMD 2835 - IP44 | | | | | | | | | |
| RAD44-2835-7LM-WW | 60 | 20W | 3000K | IP44 | 12V | 7 | 5 | 600.00 | 50 |
| RAD44-2835-7LM-WH | 60 | 20W | 6000K | IP44 | 12V | 7 | 5 | 600.00 | 50 |
| RAD44-2835-7LM-R | 60 | 20W | RED | IP44 | 12V | 7 | 5 | 600.00 | 50 |
| RAD44-2835-7LM-G | 60 | 20W | GREEN | IP44 | 12V | 7 | 5 | 600.00 | 50 |
| RAD44-2835-7LM-B | 60 | 20W | BLUE | IP44 | 12V | 7 | 5 | 600.00 | 50 |



ZODION

| | | | | | | | | | |
|---|----|-----|-------|------|-----|----|---|--------|----|
| ZODION - Strip Light - SMD 5050 - IP20 | | | | | | | | | |
| ZOD20-5050-14LM-WW | 60 | 48W | 3000K | IP20 | 12V | 14 | 5 | 750.00 | 50 |
| ZOD20-5050-14LM-WH | 60 | 48W | 6000K | IP20 | 12V | 14 | 5 | 750.00 | 50 |
| ZOD20-5050-14LM-R | 60 | 48W | RED | IP20 | 12V | 14 | 5 | 750.00 | 50 |
| ZOD20-5050-14LM-G | 60 | 48W | GREEN | IP20 | 12V | 14 | 5 | 750.00 | 50 |
| ZOD20-5050-14LM-B | 60 | 48W | BLUE | IP20 | 12V | 14 | 5 | 750.00 | 50 |
| ZOD20-5050-14LM-RGB | 60 | 48W | RGB | IP20 | 12V | 14 | 5 | 750.00 | 50 |



| | | | | | | | | | |
|---|----|-----|-------|------|-----|----|---|--------|----|
| ZODION - Strip Light - SMD 5050 - IP44 | | | | | | | | | |
| ZOD44-5050-14LM-WW | 60 | 48W | 3000K | IP44 | 12V | 14 | 5 | 950.00 | 50 |
| ZOD44-5050-14LM-WH | 60 | 48W | 6000K | IP44 | 12V | 14 | 5 | 950.00 | 50 |
| ZOD44-5050-14LM-R | 60 | 48W | RED | IP44 | 12V | 14 | 5 | 950.00 | 50 |
| ZOD44-5050-14LM-G | 60 | 48W | GREEN | IP44 | 12V | 14 | 5 | 950.00 | 50 |
| ZOD44-5050-14LM-B | 60 | 48W | BLUE | IP44 | 12V | 14 | 5 | 950.00 | 50 |
| ZOD44-5050-14LM-RGB | 60 | 48W | RGB | IP44 | 12V | 14 | 5 | 950.00 | 50 |

All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

PRODION

| ITEM CODE | LED PER MTR | WATT 5 MTR | COL. TEMP | IP RATING | INPUT VOLT. | LUMENS PER LED | LENGTH IN MTR. | MRP ₹ | PKG. |
|--|-------------|------------|-----------|-----------|-------------|----------------|----------------|---------|------|
| PRODION - Strip Light - SMD 5050 - IP20 | | | | | | | | | |
| PRO20-5050-20LM-WW | 60 | 60W | 3000K | IP20 | 12V | 20 | 5 | 1050.00 | 50 |
| PRO20-5050-20LM-WH | 60 | 60W | 6000K | IP20 | 12V | 20 | 5 | 1050.00 | 50 |
| PRO20-5050-20LM-R | 60 | 60W | RED | IP20 | 12V | 20 | 5 | 1050.00 | 50 |
| PRO20-5050-20LM-G | 60 | 60W | GREEN | IP20 | 12V | 20 | 5 | 1050.00 | 50 |
| PRO20-5050-20LM-B | 60 | 60W | BLUE | IP20 | 12V | 20 | 5 | 1050.00 | 50 |



| | | | | | | | | | |
|--|----|-----|-------|------|-----|----|---|---------|----|
| PRODION - Strip Light - SMD 5050 - IP44 | | | | | | | | | |
| PRO44-5050-20LM-WW | 60 | 60W | 3000K | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-WH | 60 | 60W | 6000K | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-R | 60 | 60W | RED | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-G | 60 | 60W | GREEN | IP44 | 12V | 20 | 5 | 1200.00 | 50 |
| PRO44-5050-20LM-B | 60 | 60W | BLUE | IP44 | 12V | 20 | 5 | 1200.00 | 50 |



| | | | | | | | | | |
|--|----|-----|-------|------|-----|----|---|---------|----|
| PRODION - Strip Light - SMD 5050 - IP67 | | | | | | | | | |
| PRO67-5050-20LM-WW | 60 | 60W | 3000K | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-WH | 60 | 60W | 6000K | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-R | 60 | 60W | RED | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-G | 60 | 60W | GREEN | IP67 | 12V | 20 | 5 | 1540.00 | 50 |
| PRO67-5050-20LM-B | 60 | 60W | BLUE | IP67 | 12V | 20 | 5 | 1540.00 | 50 |



ODION

| | | | | | | | | | |
|--|-----|-----|-------|------|-----|----|---|---------|----|
| ODION - Strip Light - SMD 2835 - IP20 | | | | | | | | | |
| ODO20-2835-24LM-WW | 120 | 60W | 3000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-NW | 120 | 60W | 4000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-WH | 120 | 60W | 6000K | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-R | 120 | 60W | RED | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-G | 120 | 60W | GREEN | IP20 | 12V | 24 | 5 | 1130.00 | 50 |
| ODO20-2835-24LM-B | 120 | 60W | BLUE | IP20 | 12V | 24 | 5 | 1130.00 | 50 |



KODION

| | | | | | | | | | |
|---|-----|------|-------|------|-----|----|---|---------|----|
| KODION - Strip Light - SMD 2835 - IP20 | | | | | | | | | |
| KOD20-2835-24LM-WW | 240 | 100W | 3000K | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-WH | 240 | 100W | 6000K | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-R | 240 | 100W | RED | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-G | 240 | 100W | GREEN | IP20 | 12V | 24 | 5 | 1900.00 | 50 |
| KOD20-2835-24LM-B | 240 | 100W | BLUE | IP20 | 12V | 24 | 5 | 1900.00 | 50 |



All dimensions in mm





LED DRIVER

| ITEM CODE | WATT 5 MTR | INPUT VOLT. | MRP ₹ | PKG. |
|-----------|------------|-------------|-------|------|
|-----------|------------|-------------|-------|------|

| | | | | |
|---|-----------|-------------|--------|-----|
| LED DRIVER - Strip Power Supply - 2A | | | | |
| DR-2A-24W | 12V - 24W | AC 85V-265V | 350.00 | 120 |



| | | | | |
|---|--|--|--|--|
| LED DRIVER - Strip Power Supply - 5A | | | | |
|---|--|--|--|--|

| | | | | |
|-----------|-----------|-------------|--------|-----|
| DR-5A-60W | 12V - 60W | AC 85V-265V | 625.00 | 100 |
|-----------|-----------|-------------|--------|-----|



| | | | | |
|--|--|--|--|--|
| LED DRIVER - Strip Power Supply - 10A | | | | |
|--|--|--|--|--|

| | | | | |
|-------------|------------|-------------|---------|----|
| DR-10A-120W | 12V - 120W | AC 85V-265V | 1200.00 | 74 |
|-------------|------------|-------------|---------|----|



| | | | | |
|--|--|--|--|--|
| LED DRIVER - Strip Power Supply - 15A | | | | |
|--|--|--|--|--|

| | | | | |
|-------------|------------|-------------|---------|----|
| DR-15A-180W | 12V - 180W | AC 85V-265V | 1750.00 | 52 |
|-------------|------------|-------------|---------|----|



| | | | | |
|--|--|--|--|--|
| LED DRIVER - Strip Power Supply - 20A | | | | |
|--|--|--|--|--|

| | | | | |
|-------------|------------|-------------|---------|----|
| DR-20A-240W | 12V - 240W | AC 85V-265V | 2350.00 | 40 |
|-------------|------------|-------------|---------|----|



| | | | | |
|---|--|--|--|--|
| EDRON - Electronic Ballast - 36W | | | | |
|---|--|--|--|--|

| | | | | |
|---------|-----|-------------|--------|----|
| GM 0774 | 36W | AC 85V-265V | 195.00 | 50 |
|---------|-----|-------------|--------|----|

FANON

| ITEM CODE | LEDs PER MTR | WATT PER MTR | COL. TEMP | IP RATING | INPUT VOLT | LUMENS PER LED | LENGTH IN MTR | MRP ₹ PER MTR | PKG. MTR |
|---|--------------|--------------|-----------|-----------|--------------|----------------|---------------|---------------|----------|
| FANON - Neon Light - SMD 2835 - IP65 | | | | | | | | | |
| FAN65-2835-7LM-WW | 60 | 4.5W | 3000K | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |
| FAN65-2835-7LM-WH | 60 | 4.5W | 6000K | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |
| FAN65-2835-7LM-R | 60 | 4.5W | RED | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |
| FAN65-2835-7LM-G | 60 | 4.5W | GREEN | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |
| FAN65-2835-7LM-B | 60 | 4.5W | BLUE | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |
| FAN65-2835-7LM-P | 60 | 4.5W | PINK | IP65 | AC 220V-240V | 7 | 50 | 230.00 | 50 |



XERON

| | | | | | | | | | |
|---|----|----|-------|------|--------------|----|----|--------|----|
| XERON - Neon Light - SMD 5050 - IP65 | | | | | | | | | |
| XER65-5050-14LM-WW | 60 | 8W | 3000K | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-WH | 60 | 8W | 6000K | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-R | 60 | 8W | RED | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-G | 60 | 8W | GREEN | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-B | 60 | 8W | BLUE | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |
| XER65-5050-14LM-P | 60 | 8W | PINK | IP65 | AC 220V-240V | 14 | 50 | 330.00 | 50 |



RAYON

| | | | | | | | | | |
|---|-----|----|-------|------|--------------|---|-----|--------|-----|
| RAYON - Rope Light - SMD 3014 - IP65 | | | | | | | | | |
| RAY65-3014-7LM-WW | 120 | 8W | 3000K | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-WH | 120 | 8W | 6000K | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-R | 120 | 8W | RED | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-G | 120 | 8W | GREEN | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-B | 120 | 8W | BLUE | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |
| RAY65-3014-7LM-P | 120 | 8W | PINK | IP65 | AC 220V-240V | 7 | 100 | 170.00 | 100 |



NIYON

| | | | | | | | | | |
|---|----|-----|-------|------|--------------|----|----|--------|----|
| NIYON - Rope Light - SMD 5050 - IP65 | | | | | | | | | |
| NIY65-5050-14LM-WW | 60 | 12W | 3000K | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-WH | 60 | 12W | 6000K | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-R | 60 | 12W | RED | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-G | 60 | 12W | GREEN | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-B | 60 | 12W | BLUE | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |
| NIY65-5050-14LM-P | 60 | 12W | PINK | IP65 | AC 220V-240V | 14 | 50 | 250.00 | 50 |



All dimensions in mm



Introducing Brightest Street Lights



G03 SERIES
(COB)




G01 SERIES
(SMD)



G05 SERIES
(SMD)



G04 SERIES
(SMD)



STREET LIGHT

The multi-characteristic LED street lights having high quality lenses and reflectors with a wide selection of fixtures and styles, cater to street lightings in cities, malls, urban landscapes and more.

STREET LIGHT (SMD)

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | IP | LUMENS | ANGLE | MRP ₹ | PKG. |
|-----------------------------------|-------|----------|-------|----------------|------|--------|-------|----------|------|
| STREET LIGHT - G01 - 6500K | | | | | | | | | |
| G01-12-6.5K-SL | 12 | 6500K | >0.95 | 350 x 95 x 65 | IP65 | >100 | 120 | 1600.00 | 20 |
| G01-24-6.5K-SL | 24 | 6500K | >0.95 | 400 x 135 x 65 | IP65 | >100 | 120 | 2900.00 | 10 |
| G01-40-6.5K-SL | 40 | 6500K | >0.95 | 470 x 210 x 75 | IP65 | >100 | 120 | 5500.00 | 5 |
| G01-60-6.5K-SL | 60 | 6500K | >0.95 | 550 x 243 x 75 | IP65 | >100 | 120 | 8400.00 | 4 |
| G01-100-6.5K-SL | 100 | 6500K | >0.95 | 550 x 243 x 75 | IP65 | >100 | 120 | 11000.00 | 1 |



STREET LIGHT (COB)

| | | | | | | | | | |
|-----------------------------------|-----|-------|-------|----------------|------|------|-----|----------|----|
| STREET LIGHT - G01 - 3500K | | | | | | | | | |
| G01-12-3.5K-SL | 12 | 3500K | >0.95 | 350 x 95 x 65 | IP65 | >100 | 120 | 1600.00 | 20 |
| G01-24-3.5K-SL | 24 | 3500K | >0.95 | 400 x 135 x 65 | IP65 | >100 | 120 | 2900.00 | 10 |
| G01-40-3.5K-SL | 40 | 3500K | >0.95 | 470 x 210 x 75 | IP65 | >100 | 120 | 5500.00 | 5 |
| G01-60-3.5K-SL | 60 | 3500K | >0.95 | 550 x 243 x 75 | IP65 | >100 | 120 | 8400.00 | 4 |
| G01-100-3.5K-SL | 100 | 3500K | >0.95 | 550 x 243 x 75 | IP65 | >100 | 120 | 11000.00 | 1 |



| | | | | | | | | | |
|-----------------------------------|-----|-------|-------|-----------------|------|------|-----|----------|---|
| STREET LIGHT - G03 - 6500K | | | | | | | | | |
| G03-30-6.5K-SL | 30 | 6500K | >0.95 | 500 x 220 x 85 | IP65 | >100 | 120 | 4400.00 | 1 |
| G03-50-6.5K-SL | 50 | 6500K | >0.95 | 580 x 220 x 80 | IP65 | >100 | 120 | 6600.00 | 1 |
| G03-100-6.5K-SL | 100 | 6500K | >0.95 | 680 x 235 x 110 | IP65 | >100 | 120 | 14000.00 | 1 |
| G03-150-6.5K-SL | 150 | 6500K | >0.95 | 815 x 265 x 110 | IP65 | >100 | 120 | 18000.00 | 1 |
| G03-200-6.5K-SL | 200 | 6500K | >0.95 | 980 x 300 x 110 | IP65 | >100 | 120 | 28000.00 | 1 |



| | | | | | | | | | |
|-----------------------------------|-----|-------|-------|-----------------|------|------|-----|----------|---|
| STREET LIGHT - G03 - 3500K | | | | | | | | | |
| G03-30-3.5K-SL | 30 | 3500K | >0.95 | 500 x 220 x 85 | IP65 | >100 | 120 | 4400.00 | 1 |
| G03-50-3.5K-SL | 50 | 3500K | >0.95 | 580 x 220 x 80 | IP65 | >100 | 120 | 6600.00 | 1 |
| G03-100-3.5K-SL | 100 | 3500K | >0.95 | 680 x 235 x 110 | IP65 | >100 | 120 | 14000.00 | 1 |
| G03-150-3.5K-SL | 150 | 3500K | >0.95 | 815 x 265 x 110 | IP65 | >100 | 120 | 18000.00 | 1 |
| G03-200-3.5K-SL | 200 | 3500K | >0.95 | 980 x 300 x 110 | IP65 | >100 | 120 | 28000.00 | 1 |



STREET LIGHT (SMD)

| | | | | | | | | | |
|-----------------------------------|-----|-------|-------|----------------|------|------|-----|----------|----|
| STREET LIGHT - G04 - 6500K | | | | | | | | | |
| G04-20-6.5K-SL | 20 | 6500K | >0.95 | 372 x 173 x 56 | IP65 | >100 | 120 | 3600.00 | 10 |
| G04-50-6.5K-SL | 50 | 6500K | >0.95 | 474 x 215 x 63 | IP65 | >100 | 120 | 6100.00 | 6 |
| G04-70-6.5K-SL | 70 | 6500K | >0.95 | 550 x 252 x 74 | IP65 | >100 | 120 | 8100.00 | 4 |
| G04-100-6.5K-SL | 100 | 6500K | >0.95 | 550 x 252 x 74 | IP65 | >100 | 120 | 11000.00 | 1 |
| G04-150-6.5K-SL | 150 | 6500K | >0.95 | 663 x 289 x 85 | IP65 | >100 | 120 | 14000.00 | 1 |



STREET LIGHT (SMD)

| | | | | | | | | | |
|-----------------------------------|-----|-------|-------|----------------|------|------|-----|----------|----|
| STREET LIGHT - G05 - 6500K | | | | | | | | | |
| G05-20-6.5K-SL | 20 | 6500K | >0.95 | 350 x 105 x 68 | IP65 | >100 | 120 | 3400.00 | 16 |
| G05-40-6.5K-SL | 40 | 6500K | >0.95 | 387 x 145 x 68 | IP65 | >100 | 120 | 5500.00 | 8 |
| G05-60-6.5K-SL | 60 | 6500K | >0.95 | 450 x 200 x 70 | IP65 | >100 | 120 | 7300.00 | 5 |
| G05-100-6.5K-SL | 100 | 6500K | >0.95 | 620 x 155 x 80 | IP65 | >100 | 120 | 10500.00 | 2 |
| G05-150-6.5K-SL | 150 | 6500K | >0.95 | 620 x 155 x 80 | IP65 | >100 | 120 | 13400.00 | 2 |



All dimensions in mm



Toughest yet ELEGANT

Introducing
Flood Lights



G06 SERIES (SMD)



G09 SERIES (SMD)



G08 SERIES (SMD)

FLOOD LIGHT

The flood lights with high lumen output, high energy efficiency and good thermal management are utilized in sports stadium, arenas, billboards, parking and so forth.

FLOOD LIGHT (COB)

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | IP | LUMENS | ANGLE | MRP ₹ | PKG. |
|----------------------------------|-------|----------|-------|-----------------|------|--------|-------|----------|------|
| FLOOD LIGHT - G02 - 6500K | | | | | | | | | |
| G02-30-6.5K-FL | 30 | 6500K | >0.95 | 225 x 165 x 105 | IP65 | >100 | 120 | 2900.00 | 12 |
| G02-50-6.5K-FL | 50 | 6500K | >0.95 | 250 x 200 x 105 | IP65 | >100 | 120 | 3800.00 | 10 |
| G02-100-6.5K-FL | 100 | 6500K | >0.95 | 380 x 235 x 115 | IP65 | >100 | 120 | 8500.00 | 6 |
| G02-150-6.5K-FL | 150 | 6500K | >0.95 | 550 x 235 x 115 | IP65 | >100 | 120 | 14000.00 | 4 |



FLOOD LIGHT (SMD)

| | | | | | | | | | |
|----------------------------------|-----|-------|-------|-----------------|------|------|-----|----------|----|
| FLOOD LIGHT - G02 - 3500K | | | | | | | | | |
| G02-30-3.5K-FL | 30 | 3500K | >0.95 | 225 x 165 x 105 | IP65 | >100 | 120 | 2900.00 | 12 |
| G02-50-3.5K-FL | 50 | 3500K | >0.95 | 250 x 200 x 105 | IP65 | >100 | 120 | 3800.00 | 10 |
| G02-100-3.5K-FL | 100 | 3500K | >0.95 | 380 x 235 x 115 | IP65 | >100 | 120 | 8500.00 | 6 |
| G02-150-3.5K-FL | 150 | 3500K | >0.95 | 550 x 235 x 115 | IP65 | >100 | 120 | 14000.00 | 4 |



FLOOD LIGHT (SMD)

| | | | | | | | | | |
|----------------------------------|-----|-------|-------|----------------|------|------|-----|----------|----|
| FLOOD LIGHT - G06 - 6500K | | | | | | | | | |
| G06-10-6.5K-FL | 10 | 6500K | >0.95 | 132 x 118 x 26 | IP65 | >100 | 120 | 1100.00 | 40 |
| G06-30-6.5K-FL | 30 | 6500K | >0.95 | 185 x 160 x 26 | IP65 | >100 | 120 | 2100.00 | 10 |
| G06-50-6.5K-FL | 50 | 6500K | >0.95 | 233 x 187 x 28 | IP65 | >100 | 120 | 2400.00 | 10 |
| G06-50-RED-FL | 50 | RED | >0.95 | 233 x 187 x 28 | IP65 | >100 | 120 | 3200.00 | 10 |
| G06-50-GREEN-FL | 50 | GREEN | >0.95 | 233 x 187 x 28 | IP65 | >100 | 120 | 3200.00 | 10 |
| G06-50-BLUE-FL | 50 | BLUE | >0.95 | 233 x 187 x 28 | IP65 | >100 | 120 | 3200.00 | 10 |
| G06-100-6.5K-FL | 100 | 6500K | >0.95 | 278 x 233 x 30 | IP65 | >100 | 120 | 5400.00 | 6 |
| G06-150-6.5K-FL | 150 | 6500K | >0.95 | 366 x 302 x 48 | IP65 | >100 | 120 | 8600.00 | 5 |
| G06-200-6.5K-FL | 200 | 6500K | >0.95 | 410 x 340 x 51 | IP65 | >100 | 120 | 11500.00 | 3 |



FLOOD LIGHT (SMD)

| | | | | | | | | | |
|----------------------------------|-----|-------|-------|-----------------|------|------|-----|----------|----|
| FLOOD LIGHT - G07 - 6500K | | | | | | | | | |
| G07-20-6.5K-FL | 20 | 6500K | >0.95 | 215 x 205 x 70 | IP66 | >100 | 120 | 1900.00 | 20 |
| G07-30-6.5K-FL | 30 | 6500K | >0.95 | 260 x 250 x 75 | IP66 | >100 | 120 | 2400.00 | 10 |
| G07-50-6.5K-FL | 50 | 6500K | >0.95 | 305 x 315 x 90 | IP66 | >100 | 120 | 2900.00 | 5 |
| G07-100-6.5K-FL | 100 | 6500K | >0.95 | 345 x 315 x 105 | IP66 | >100 | 120 | 6900.00 | 5 |
| G07-150-6.5K-FL | 150 | 6500K | >0.95 | 380 x 355 x 110 | IP66 | >100 | 120 | 10500.00 | 3 |
| G07-200-6.5K-FL | 200 | 6500K | >0.95 | 380 x 355 x 110 | IP66 | >100 | 120 | 14000.00 | 3 |



FLOOD LIGHT (SMD)

| | | | | | | | | | |
|----------------------------------|-----|-------|-------|----------------|------|------|-----|---------|----|
| FLOOD LIGHT - G08 - 6500K | | | | | | | | | |
| G08-30-6.5K-FL | 30 | 6500K | >0.95 | 165 x 220 x 45 | IP66 | >100 | 120 | 2200.00 | 10 |
| G08-50-6.5K-FL | 50 | 6500K | >0.95 | 225 x 290 x 50 | IP66 | >100 | 120 | 2700.00 | 5 |
| G08-100-6.5K-FL | 100 | 6500K | >0.95 | 250 x 330 x 55 | IP66 | >100 | 120 | 6300.00 | 5 |



FLOOD LIGHT (SMD)

| | | | | | | | | | |
|----------------------------------|----|-------|-------|----------------|------|------|-----|---------|----|
| FLOOD LIGHT - G09 - 6500K | | | | | | | | | |
| G09-10-6.5K-FL | 10 | 6500K | >0.95 | 130 x 150 x 30 | IP66 | >100 | 120 | 1100.00 | 30 |
| G09-30-6.5K-FL | 30 | 6500K | >0.95 | 190 x 200 x 50 | IP66 | >100 | 120 | 2100.00 | 20 |
| G09-50-6.5K-FL | 50 | 6500K | >0.95 | 240 x 255 x 50 | IP66 | >100 | 120 | 2400.00 | 10 |



All dimensions in mm





INDULGE IN AN EXPERIENCE

SKY
SQUARE

2x2 LED SQUARE LIGHT

SKY SQUARE 2X2 FRAME LED PANEL LIGHT

The Sky Square 2x2 Led Square light fits in your room like a delightful painting that builds aesthetic quotient of the insides. It makes the space sparkle with positivity, and adds to a serene vibe. Also, the light has a splendid nature of changing any state of mind to incredible.

SKY LAMP

| ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CRI | ANGLE | MRP ₹ | PKG. |
|--|-------|----------|------|---------------|-----|-------|---------|------|
| SKY LAMP - 2x2 - 36 Watt Flat Panel | | | | | | | | |
| GSL-FP-36W-3K | 36 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3300.00 | 5 |
| GSL-FP-36W-4K | 36 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3300.00 | 5 |
| GSL-FP-36W-6K | 36 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3300.00 | 5 |



| | | | | | | | | |
|--|----|-------|------|---------------|----|-----|---------|---|
| SKY LAMP - 2x2 - 45 Watt Flat Panel | | | | | | | | |
| GSL-FP-45W-3K | 45 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |
| GSL-FP-45W-4K | 45 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |
| GSL-FP-45W-6K | 45 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4200.00 | 5 |



SKY BRIGHT

| | | | | | | | | |
|--|----|-------|------|---------------|----|-----|---------|---|
| SKY BRIGHT - 2x2 - 40 Watt Flat Panel | | | | | | | | |
| GSB-FP-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |
| GSB-FP-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |
| GSB-FP-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 4000.00 | 5 |



| | | | | | | | | |
|--|----|-------|------|---------------|----|-----|---------|---|
| SKY BRIGHT - 2x2 - 40 Watt Back Lit | | | | | | | | |
| GSB-BL-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |
| GSB-BL-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |
| GSB-BL-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3400.00 | 4 |



SKY SQUARE

| | | | | | | | | |
|---|----|-------|------|---------------|----|-----|---------|---|
| SKY SQUARE - 2x2 - 40 Watt Frame Panel Light | | | | | | | | |
| GSS-FP-40W-3K | 40 | 3000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |
| GSS-FP-40W-4K | 40 | 4000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |
| GSS-FP-40W-6K | 40 | 6000K | >0.9 | 600 x 600 x 9 | 80 | 120 | 3000.00 | 5 |



All dimensions in mm



FACADE LIGHTING



Makes living
even more beautiful!

The mesmerizing façade lighting makes the building structure look all the more beautiful and gives you a luxurious feel as you get in the vicinity. It adds serenity to the delightful environment and altogether contributes in making your mind tranquil and your heart upbeat.



| | ITEM CODE | POWER | COL.TEMP | DIMENSION | VOLTAGE | IP | ANGLE | MRP ₹ | PKG. |
|--|--|-------|----------|----------------|-------------|------|-------|-------|------|
|  | GP 10000 - 2 Watt Facade Flood Light | | | | | | | | |
| | GP 10000 | 2 | 3000K | 51 X 32 X 71 | DC24V | IP66 | 30 | TBA | 1 |
|  | GP 10001 - 5 Watt Facade Flood Light | | | | | | | | |
| | GP 10001 | 5 | 3000K | 80 X 32 X 85 | DC24V | IP66 | 30 | TBA | 1 |
|  | GP 10002 - 7 Watt Facade Flood Light | | | | | | | | |
| | GP 10002 | 7 | 3000K | 100 X 32 X 85 | DC24V | IP66 | 30 | TBA | 1 |
|  | GP 10003 - 10 Watt Facade Flood Light | | | | | | | | |
| | GP 10003 | 10 | 3000K | 85 X 52 X 132 | DC24V | IP66 | 30 | TBA | 1 |
|  | GP 10004 - 10 Watt Facade Light | | | | | | | | |
| | GP 10004 | 10 | 3000K | 55 X 55 X 95 | DC24V | IP66 | 5 | TBA | 1 |
|  | GP 10005 - 10 Watt Facade Light | | | | | | | | |
| | GP 10005 | 5 | 3000K | 43 X 43 X 93 | DC24V | IP66 | 45 | TBA | 1 |
|  | GP 10006 - 3 Watt Ground Light | | | | | | | | |
| | GP 10006 | 3 | 3000K | 46 X 46 X 72 | DC24V | IP66 | 30 | TBA | 1 |
|  | GP 10007 TO GP 10010 - 6Watt Facade Flood Light | | | | | | | | |
| | GP 10007 | 6 | 3000K | 78 X 78 X 134 | DC24V | IP66 | 60 | TBA | 1 |
| | GP 10008 | 6 | GREEN | 78 X 78 X 134 | DC24V | IP66 | 60 | TBA | 1 |
| | GP 10009 | 6 | BLUE | 78 X 78 X 134 | DC24V | IP66 | 60 | TBA | 1 |
| | GP 10010 | 6 | AMBER | 78 X 78 X 134 | DC24V | IP66 | 60 | TBA | 1 |
|  | GP 10011 - 15 Watt Master Controller 01 | | | | | | | | |
| | GP 10011 | 15 | - | 288 X 154 X 45 | AC220V±10V | - | - | TBA | 1 |
|  | GP 10012 - 5 Watt Slave Controller 01 | | | | | | | | |
| | GP 10012 | 5 | - | 193 X 148 X 48 | AC100V-230V | - | - | TBA | 1 |

**All Pricing on project basis, to be advised.
All dimensions in mm



ILLUMINATING INTELLIGENTLY



BIS APPROVED

LIGHT IS LIFE

GP 10013

| ITEM CODE | POWER | COL.TEMP | DIMENSION | VOLTAGE | IP | ANGLE | MRP ₹ | PKG. |
|---------------------------------------|-------|----------|-----------------|---------|------|-------|-------|------|
| GP 10013 - 20 Watt Focus Light | | | | | | | | |
| GP 10013 | 20 | RGBW | 105 X 105 X 214 | DC24V | IP66 | 60 | TBA | 1 |



GP 10014

| | | | | | | | | |
|---------------------------------------|----|-------|-----------------|-------|------|----|-----|---|
| GP 10014 - 20 Watt Focus Light | | | | | | | | |
| GP 10014 | 20 | 3000K | 133 X 133 X 111 | DC24V | IP66 | 30 | TBA | 1 |



GP 10015

| | | | | | | | | |
|---------------------------------------|---|-------|-------------------|-------|------|---|-----|---|
| GP 10015 - 5 Watt Linear Light | | | | | | | | |
| GP 10015 | 5 | 3000K | 110 X 60.5 X 70.5 | DC24V | IP66 | 3 | TBA | 1 |



GP 10016

| | | | | | | | | |
|---------------------------------------|---|-------|-------------------|-------|------|---|-----|---|
| GP 10016 - 5 Watt Linear Light | | | | | | | | |
| GP 10016 | 5 | 3000K | 136 X 60.5 X 70.5 | DC24V | IP66 | 3 | TBA | 1 |



GP 10017

| | | | | | | | | |
|---|----|-------|-------------------|-------|------|---|-----|---|
| GP 10017 - 7.5 Watt Linear Light | | | | | | | | |
| GP 10017 | 10 | 3000K | 190 X 60.5 X 70.5 | DC24V | IP66 | 3 | TBA | 1 |



GP 10018

| | | | | | | | | |
|--|----|-------|--------------------|-------|------|---|-----|---|
| GP 10018 - 12 Watt Linear Light | | | | | | | | |
| GP 10018 | 12 | 3000K | 229 X 60.5 X 70.55 | DC24V | IP66 | 3 | TBA | 1 |



GP 10019

| | | | | | | | | |
|---------------------------------------|---|-------|---------------|-------|------|---------|-----|---|
| GP 10019 - 5 Watt Window Light | | | | | | | | |
| GP 10019 | 5 | 3000K | 100 X 43 X 50 | DC24V | IP66 | 5 X 130 | TBA | 1 |



GP 10020

| | | | | | | | | |
|--|----|-------|---------------|-------|------|---------|-----|---|
| GP 10020 - 10 Watt Window Light | | | | | | | | |
| GP 10020 | 10 | 3000K | 170 X 43 X 50 | DC24V | IP66 | 5 X 130 | TBA | 1 |



GP 10021

| | | | | | | | | |
|--|----|-------|---------------|-------|------|---------|-----|---|
| GP 10021 - 15 Watt Window Light | | | | | | | | |
| GP 10021 | 15 | 3000K | 270 X 43 X 50 | DC24V | IP66 | 5 X 130 | TBA | 1 |



GP 10022

| | | | | | | | | |
|--|----|-------|----------------|-------|------|-----|-----|---|
| GP 10022 - 12 Watt Linear Light | | | | | | | | |
| GP 10022 | 12 | 2700K | 1000 X 20 X 20 | DC24V | IP65 | 120 | TBA | 1 |



GP 10023

| | | | | | | | | |
|---|-----|---|---|-------|---|---|-----|---|
| GP 10023 - 250 Watt Linear Driver 01 | | | | | | | | |
| GP 10023 | 250 | - | - | DC24V | - | - | TBA | 1 |



**All Pricing on project basis, to be advised.

All dimensions in mm






PROFILE LIGHTING


While it isn't great to judge a book by its cover or an individual by the way he looks, it's alright to pass judgement on a lighting by the way it appears and makes you feel. The profile lighting is a beauty to behold and changes your mood to ecstatic and energetic in no time.




PROFILE LIGHT




| ITEM CODE | DETAILS | DIMENSION / CUT. DIA. | MRP ₹ | PKG. |
|------------------|---------------------------------|-----------------------|--------|------|
| GM-AR-502 | | | | |
| GM-AR-502 | 2m aluminum +2m pc+4end caps | 14.9 X 8.6 | 360.00 | 25 |




| | | | | |
|------------------|---|-------------|--------|----|
| GM-AR-505 | | | | |
| GM-AR-505 | 2m aluminum+2m pc +4end caps+4back clips | 17.4 X 12.1 | 640.00 | 25 |




| | | | | |
|------------------|---------------------------------|------------|--------|----|
| GM-AR-506 | | | | |
| GM-AR-506 | 2m aluminum +2m pc+4end caps | 14.4 X 8.8 | 425.00 | 25 |




| | | | | |
|----------------------|---------------------------------|------------|--------|----|
| GM-AR-506-3HB | | | | |
| GM-AR-506-3HB | 2m aluminum +2m pc+4end caps | 14.3 X 6.7 | 340.00 | 25 |




| | | | | |
|------------------|---|----------|--------|----|
| GM-AR-508 | | | | |
| GM-AR-508 | 2m aluminum+2m pc +4end caps+4back clips | 23.1 X 7 | 590.00 | 25 |




| | | | | |
|------------------|---|----------|--------|----|
| GM-AR-509 | | | | |
| GM-AR-509 | 2m aluminum+2m pc +4end caps+4back clips | 17.4 X 7 | 540.00 | 25 |



| | | | | |
|------------------|----------------------------------|----------|--------|----|
| GM-AR-510 | | | | |
| GM-AR-510 | 2m aluminum + 2m pc+4end caps | 13.2 X 7 | 390.00 | 25 |





















| | | | | |
|------------------|----------------------------------|-------------|--------|----|
| GM-AR-518 | | | | |
| GM-AR-518 | 2m aluminum + 2m pc+4end caps | 17.8 X 10.5 | 570.00 | 25 |




| | | | | |
|------------------|---|-------------|--------|----|
| GM-AR-601 | | | | |
| GM-AR-601 | 2m aluminum+2m pc +4end caps+4back clips | 15.8 X 15.8 | 475.00 | 25 |

All dimensions in mm


| ITEM CODE | DETAILS | DIMENSION / CUT. DIA. | MRP ₹ | PKG. | | |
|-------------------|---|-----------------------|---------|------|---|--|
| GM-AR-605 | | | | |  |  |
| GM-AR-605 | 2m aluminum+2m pc +4end caps+4back clips | 17.5 X 12.2 | 680.00 | 25 | | |
| GM-AR-606 | | | | |  |  |
| GM-AR-606 | 2m aluminum+2m pc +4end caps+4back clips | 17.2 X 42.8 | 1560.00 | 25 | | |
| GM-AR-613 | | | | |  |  |
| GM-AR-613 | 2m aluminum+2m pc +4end caps+4back clips | 17.2 X 14.4 | 600.00 | 25 | | |
| GM-AR-613B | | | | |  |  |
| GM-AR-613B | 2m aluminum+2m pc +4end caps+4back clips | 24 X 14.2 | 635.00 | 25 | | |
| GM-AR-614 | | | | |  |  |
| GM-AR-614 | 2m aluminum+2m pc +4end caps+4back clips | 19 X 19 | 935.00 | 25 | | |
| GM-AR-616 | | | | |  |  |
| GM-AR-616 | 2m aluminum+2m pc +4end caps+4back clips | 19.3 X 13 | 660.00 | 25 | | |
| GM-AR-617 | | | | |  |  |
| GM-AR-617 | 2m aluminum+2m pc +4end caps+4back clips | 23.5 X 9.8 | 680.00 | 25 | | |
| GM-AR-619 | | | | |  |  |
| GM-AR-619 | 2m aluminum+2m pc +4end caps+4back clips | 30.3 X 9.8 | 710.00 | 25 | | |
| GM-AR-623 | | | | |  |  |
| GM-AR-623 | 2m aluminum+2m pc +4end caps+4back clips | 20 X 11 | 1050.00 | 25 | | |

All dimensions in mm







| ITEM CODE | DETAILS | DIMENSION / CUT. DIA. | MRP ₹ | PKG. |
|------------------|---|-----------------------|--------|------|
| GM-AR-624 | | | | |
| GM-AR-624 | 2m aluminum+2m pc +4end caps+4back clips | 10 X 13 | 560.00 | 25 |




| | | | | |
|------------------|---|---------|---------|----|
| GM-AR-706 | | | | |
| GM-AR-706 | 2m aluminum+2m pc +4end caps+4hanging wire | 49 X 32 | 3330.00 | 10 |




| | | | | |
|------------------|---|---------|---------|----|
| GM-AR-707 | | | | |
| GM-AR-707 | 2m aluminum+2m pc +4end caps+4spring | 50 X 75 | 4160.00 | 10 |




| | | | | |
|-------------------|---|---------|---------|----|
| GM-AR-707A | | | | |
| GM-AR-707A | 2m aluminum+2m pc +4end caps+4hanging wire | 50 X 75 | 4275.00 | 10 |




| | | | | |
|------------------|---|-----------|---------|----|
| GM-AR-711 | | | | |
| GM-AR-711 | 2m aluminum+2m pc +4end caps+4spring | 35.4 X 35 | 2280.00 | 10 |




| | | | | |
|------------------|---|-------------|---------|----|
| GM-AR-808 | | | | |
| GM-AR-808 | 2m aluminum+2m pc +4end caps+4back clips | 33.2 X 34.8 | 1950.00 | 10 |



| | | | | |
|------------------|---|-----------|---------|----|
| GM-AR-809 | | | | |
| GM-AR-809 | 2m aluminum+2m pc +4end caps+4back clips | 35 X 34.8 | 1840.00 | 10 |



| | | | | |
|------------------|---|-----------|---------|----|
| GM-AR-811 | | | | |
| GM-AR-811 | 2m aluminum+2m pc +4end caps+4spring | 75.2 X 35 | 4275.00 | 10 |



| | | | | |
|-------------------|---|-----------|---------|----|
| GM-AR-811A | | | | |
| GM-AR-811A | 2m aluminum+2m pc +4end caps+4hanging wire | 75.2 X 35 | 4220.00 | 10 |

All dimensions in mm

OUR CLIENTS

Take a look at our amazing collaborative partners who've been with us consistently and added to our prosperity.



and many more...

THE SMART, MOST EFFICIENT AND **WORLD'S FIRST.**



GM LED
ILLUMINATING INTELLIGENTLY

BIS
BIS APPROVED

LED MODULAR LIGHTS | LED PANEL LIGHTS | COB DOWN LIGHTS | LED FITTINGS | LED BULBS
LED STRIP LIGHTS | LED TRACK LIGHTS | LED FLOOD LIGHTS | LED SOLAR LIGHTS | LED STREET LIGHTS
LED HIGH BAY LIGHTS | LED CHANDELIER LIGHTS





Our exclusive
experience centres



Mumbai

G-6, Laxmi Industrial Estate,
Opp. Laxmi Chhaya Hotel,
New Link Road, Andheri (W)
Mumbai - 400 053, Maharashtra.
Email: info@gmmodular.com
Contact: 022 2632 4555

Shop No.1 Plot No. 151/153,
Bhabha Building, Lohar Chawl,
Mumbai - 400 002, Maharashtra.
Email: info@gmmodular.com
Contact: 022 2206 6545

Bengaluru

460/ 20/ 1, 30th Cross,
8th B Main Road,
4th Block, Beside Jain Temple,
Jayanagar
Bengaluru - 560 011, Karnataka.
Email: info@gmmodular.com
Contact: 080 4097 1188

Belgaum

Shop No. 571,
Bhati Tower, Patil Galli,
Belgaum - 590 001, Karnataka.
Email: info@gmmodular.com
Contact: +91 99453 33107

Hyderabad

No. 5-5-84/87, Shop No. 2&3,
Kalpakunj Apartment, Jambaug,
Hyderabad - 500 012, Telangana.
Email: info@gmmodular.com
Contact: 040 2473 4545

Vijayawada

K. S. Vyas Traffic Control Complex,
Opp. Indira Gandhi Municipal Stadium,
MG Road, Vijayawada - 520 010,
Andhra Pradesh.
Email:
showroom.vijayawada@gmmodular.com
Contact: +91 86624 99945
+91 74166 14545

Jalore

Near Kanchangiri Jain Temple,
Opp. Haridev Joshi Circle,
Bagoda Road,
Jalore - 343 001, Rajasthan.
Email: info@gmmodular.com
Contact: +91 94145 66174

Bhilwara

G-4, Govindram Commercial
Hub, Old RTO Road,
Bhilwara - 311 001, Rajasthan.
Email: info@gmmodular.com
Contact: +91 89550 48560

Calicut

GM Avenue, 2nd Floor,
Red Cross Road,
Calicut 673 032, Kerala.
Email: info@gmmodular.com
Contact: 049 5277 3500

Noida

D-140, Sector 63,
Near Dainik Bhaskar Office,
Noida - 201301, Uttar Pradesh.
Email: info@gmmodular.com
Contact: +91 97993 59700

Kolkata

39/40, Ezra Street,
Ground Floor,
Kolkata - 700 001,
West Bengal.
Email: info@gmmodular.com
Contact: 033 4060 2048

Ranchi

Mahavir Chowk, Upper Bazar,
Ranchi - 834 001, Jharkhand.
Email: info@gmmodular.com
Contact: +91 94715 55599

Tirunelveli

48, Raja Building,
Tirunelveli - 627 001,
Tamil Nadu.
Email: info@gmmodular.com
Contact: +91 94431 51008

Coimbatore

22, Mill Road,
Below ICICI Bank,
Coimbatore - 641 001,
Tamil Nadu.
Email: info@gmmodular.com
Contact: +91 99523 07025

Technical data and illustrations are preliminary. Printing errors, mistakes and changes reserved at any time. Copyrights©GM Modular 2016.

Brand identity, styling, concept, design and copy ©GM Modular Pvt. Ltd.

No part of this brochure may be printed or duplicated without the consent of GM Modular Pvt. Ltd. Patent TM & Designs protected. Infringement is liable for prosecution. Imitation of graphics is a punishable offence.

LIGHT YOUR WORLD




FINEST GRADE
ALUMINIUM BODY


HIGH QUALITY
COB SDCM ≤ 2


ANTI-GLARE
DIFFUSER


HIGH CRI
(RA > 95)


ADVANCED THERMAL
MANAGEMENT


BEAM ANGLE
15° / 24° / 36°

GRACE
LED SPOT LIGHT

GM LED

GM MODULAR PVT. LTD. 203, Shalimar Morya Park, New Link Rd, Andheri (W), Mumbai-400053,
Maharashtra, India. • Customer Care No.: 1800 209 1215 • Email: info@gmmodular.com

www.gmmodular.com



PL LD SM JUL 19